

Citation for published version:

Aubert, S, Barnes, JD, Abdeta, C, Abi Nader, P, Adeniyi, AF, Aguilar-Farias, N, Andrade Tenesaca, DS, Bhawra, J, Brazo-Sayavera, J, Cardon, G, Chang, CK, Delisle Nyström, C, Demetriou, Y, Draper, CE, Edwards, L, Emeljanovas, A, Gába, A, Galaviz, KI, González, SA, Herrera-Cuenca, M, Huang, WY, Ibrahim, IAE, Jürimäe, J, Kämppi, K, Katapally, TR, Katewongsa, P, Katzmarzyk, PT, Khan, A, Korcz, A, Kim, YS, Lambert, E, Lee, EY, Löf, M, Loney, T, López-Taylor, J, Liu, Y, Makaza, D, Manyanga, T, Mileva, B, Morrison, SA, Mota, J, Nyawornota, VK, Ocansey, R, Reilly, JJ, Roman-Viñas, B, Silva, DAS, Saonuam, P, Scriven, J, Seghers, J, Schranz, N, Skovgaard, T, Smith, M, Standage, M, Starc, G, Stratton, G, Subedi, N, Takken, T, Tammelin, T, Tanaka, C, Thivel, D, Tladi, D, Tyler, R, Uddin, R, Williams, A, Wong, SHS, Wu, CL, Zembura, P & Tremblay, MS 2018, 'Global Matrix 3.0 Physical Activity Report Card Grades for Children and Youth: Results and Analysis From 49 Countries', *Journal of Physical Activity & Health*, vol. 15, no. S2, pp. S251-S273.
<https://doi.org/10.1123/jpah.2018-0472>

DOI:

[10.1123/jpah.2018-0472](https://doi.org/10.1123/jpah.2018-0472)

Publication date:

2018

Document Version

Peer reviewed version

[Link to publication](#)

This is the Authors' Accepted Manuscript of an article published in final form in *Journal of Physical Activity and Health*, 2018, volume 15, Supplement 2. The version of record is available via:
<https://doi.org/10.1123/jpah.2018-0472>. Copyright (C) 2018 Human Kinetics.

University of Bath

Alternative formats

If you require this document in an alternative format, please contact:
openaccess@bath.ac.uk

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

**Global Matrix 3.0 Physical Activity Report Card Grades for Children and Youth: Results and
Analysis from 49 Countries**

Original Research

Three to five key words

Global comparison; sedentary behavior; health promotion; international; sport; active transportation

Abstract word count: 196 words

Manuscript word count: 11,534

Date of manuscript submission: 27/08/2018

Abstract

Background

Accumulating sufficient moderate to vigorous physical activity (MVPA) is recognised as a key determinant of physical, physiological, developmental, mental, cognitive, and social health among children and youth (5-17 years). The Global Matrix 3.0 of Report Card grades on physical activity was developed to achieve a better understanding of the global variation in child and youth physical activity and associated supports.

Methods

Work Groups from 49 countries followed harmonized procedures to develop their Report Cards by grading 10 common indicators using the best available data. The participating countries were divided into three categories using the United Nations' Human Development Index (HDI) classification (low or medium, high, and very high HDI).

Results

A total of 490 grades, including 369 letter grades and 121 "INC" grades, were assigned by the 49 Work Groups. Overall, an average grade of "C-", "D+", and "C-" was obtained for the low and medium HDI countries, high HDI countries, and very high HDI countries, respectively.

Conclusions

The present study provides rich new evidence showing that the situation regarding the physical activity of children and youth is a concern worldwide. Strategic public investments to implement effective interventions to increase physical activity opportunities are needed.

48 **List of authors:**

49 Salomé Aubert, Healthy Active Living and Obesity Research Group, CHEO Research Institute, Ottawa,
50 Ontario, Canada; saubert@cheo.on.ca

51 Joel D. Barnes, Healthy Active Living and Obesity Research Group, CHEO Research Institute, Ottawa,
52 Ontario, Canada; jbarnes@cheo.on.ca

53 Chalhisa Abdeta, Hiwot Fana Specialized Haramaya University Hospital, Harar, Ethiopia;
54 caaliphysio@gmail.com

55 Patrick Abi Nader, Centre de formation médicale du Nouveau-Brunswick, Université de Moncton,
56 Moncton, NB; Centre de Recherche du Centre Hospitalier de l'Université de Montréal, Montréal, QC;
57 patrick.abi.nader@umoncton.ca

58 Ade F. Adeniyi, College of Medicine, University of Ibadan and Nigerian Heart Foundation, Ibadan and
59 Lagos, Nigeria; adeniyifatai@yahoo.co.uk

60 Nicolas Aguilar-Farias, Department of Physical Education, Sports and Recreation, Universidad de La
61 Frontera, Chile; UFRO Actívate Research Group. Chile; nicolas.aguilar@ufrontera.cl

62 Dolores S. Andrade Tenesaca, Universidad de Cuenca, Departamento de Biociencias, Cuenca, Ecuador;
63 susana.andrade@ucuenca.edu.ec

64 Jasmin Bhawra, School of Public Health and Health Systems, University of Waterloo, Ontario, Canada;
65 jasmin.bhawra@uwaterloo.ca

66 Javier Brazo-Sayavera, Instituto Superior de Educación Física, Universidad de la República, Rivera,
67 Uruguay; Polo de Desarrollo Universitario EFISAL, Universidad de la República, Rivera, Uruguay;
68 jbsayavera@cur.edu.uy

- 69 Greet Cardon, Ghent University, Department of Movement and Sports Sciences, Ghent, Belgium;
70 greet.cardon@ugent.be
- 71 Chen-Kang Chang, Department of Sport Performance, National Taiwan University of Sport, Taichung,
72 Taiwan; wspahn@seed.net.tw
- 73 Christine Delisle Nyström, Department of Biosciences and Nutrition, Karolinska Institutet, Huddinge,
74 Sweden; Healthy Active Living and Obesity Research Group, CHEO Research Institute, Ottawa, Ontario,
75 Canada; christine.delisle.nystrom@ki.se
- 76 Yolanda Demetriou, Department of Sport and Health Sciences, Technical University of Munich, Munich,
77 Germany; yolanda.demetriou@tum.de
- 78 Catherine E. Draper, University of the Witwatersrand, Johannesburg, South Africa; University of Cape
79 Town, Cape Town, South Africa; Catherine.Draper@wits.ac.za
- 80 Lowri Edwards, Applied Sport Technology Exercise and Medicine Research Centre, Swansea University,
81 Swansea, Wales, UK; L.C.Edwards@swansea.ac.uk
- 82 Arunas Emeljanovas, Lithuanian Sports University, Kaunas, Lithuania; arunas.emeljanovas@lsu.lt
- 83 Aleš Gába, Faculty of Physical Culture, Palacký University Olomouc, Olomouc, Czech Republic;
84 ales.gaba@upol.cz
- 85 Karla I. Galaviz, Emory Global Diabetes Research Center, Hubert Department of Global Health,
86 Rollins School of Public Health, Emory University, Atlanta, GA USA; karla.galaviz@emory.edu
- 87 Silvia A. González, Healthy Active Living and Obesity Research Group, CHEO Research Institute,
88 Ottawa, Ontario, Canada; School of Medicine, Universidad de los Andes, Bogotá, Colombia;
89 sgonzalez@cheo.on.ca

- 90 Marianella Herrera-Cuenca, Centro de Estudios del Desarrollo, Universidad Central de Venezuela;
91 Fundación Bengoa para la Alimentación y Nutrición; Observatorio Venezolano de la Salud, Caracas,
92 Venezuela; marianella.herrera@ucv.ve
- 93 Wendy Y. Huang, Department of Sport and Physical Education, Hong Kong Baptist University, Hong
94 Kong, China; wendyhuang@hkbu.edu.hk
- 95 Izzeldin A. E. Ibrahim, Aspetar Orthopedic and Sport Medicine Hospital, Doha, Qatar;
96 Izzeldin.Ibrahim@aspetar.com
- 97 Jaak Jürimäe, Institute of Sport Sciences and Physiotherapy, Faculty of Medicine, University of, Tartu,
98 Tartu, Estonia; jaak.jurimae@ut.ee
- 99 Katariina Kämppi, LIKES Research Centre for Physical Activity and Health, Jyväskylä, Finland;
100 katariina.kamppi@likes.fi
- 101 Tarun R. Katapally, Johnson Shoyama Graduate School of Public Policy, University of Regina,
102 Saskatchewan, Canada; tarun.katapally@uregina.ca
- 103 Piyawat Katewongsa, Institute for Population and Social Research, Mahidol University, Salaya,
104 Phutthamonthon, Nakhon Pathom, Thailand; piyawat.kat@mahidol.edu
- 105 Peter T. Katzmarzyk, Pennington Biomedical Research Center, Baton Rouge, Louisiana, U.S;
106 peter.katzmarzyk@pbrc.edu
- 107 Asaduzzaman Khan, School of Health and Rehabilitation Sciences, The University of Queensland, St
108 Lucia, QLD 4072, Australia; a.khan2@uq.edu.au
- 109 Agata Korcz, Department of Didactics of Physical Activity, Poznań University of Physical Education,
110 Poznań, Poland; korcz@awf.poznan.pl

- 111 Yeon Soo Kim, Department of Physical Education, Seoul National University; Seoul National University
112 Institute of Sports Science; Seoul, Republic of Korea; kys0101@snu.ac.kr
- 113 Estelle Lambert, Faculty of Health Sciences, University of Cape Town, South Africa;
114 vicki.lambert@uct.ac.za
- 115 Eun-Young Lee, School of Kinesiology and Health Studies, Queen's University, Kingston, Ontario,
116 Canada; eunyoung.lee@queensu.ca
- 117 Marie Löf, Department of Biosciences and Nutrition, Karolinska Institutet, Group MLÖ, Sweden;
118 Department of Medicine and Health, Linköping University, Sweden; Marie.Lof@ki.se
- 119 Tom Loney, College of Medicine, Mohammed Bin Rashid University of Medicine and Health Sciences,
120 Dubai, United Arab Emirates; tom.loney@mbru.ac.ae
- 121 Juan López-Taylor, Instituto de Ciencias Aplicadas a la Actividad Física y Deporte, Centro Universitario
122 de Ciencias de la Salud, Universidad de Guadalajara, Guadalajara, Mexico; taylor@cucs.udg.mx
- 123 Yang Liu, School of Physical Education and Sport Training, Shanghai University of Sport, Shanghai,
124 China; Shanghai Research Center for Physical Fitness and Health of Children and Adolescents, Shanghai
125 University of Sport, Shanghai, China; docliuyang@hotmail.com
- 126 Daga Makaza, National University of Science and Technology, Bulawayo, Zimbabwe;
127 dmakaza@gmail.com
- 128 Taru Manyanga, Healthy Active Living and Obesity Research Group, CHEO Research Institute, Ottawa,
129 Canada; tmanyanga@cheo.on.ca
- 130 Bilyana Mileva, BG be Active Association, Plovdiv, Bulgaria; bilyana@bgbeactive.org
- 131 Shawnda A. Morrison, Faculty of Health Sciences, University of Primorska, Izola, Slovenia;
132 shawnda.morrison@fvz.upr.si

- 133 Jorge Mota, Centro de Investigação em Atividade Física Saúde e Lazer (CIAFEL-FADEUP), University
134 of Porto, Porto, Portugal; jmota@fade.up.pt
- 135 Vida K. Nyawornota, School of Education and Leadership, University of Ghana, Accra, Ghana;
136 vkorlekinyawornota@ug.edu.gh
- 137 Reginald Ocansey, University of Ghana, Accra, Ghana; rocansey2@ug.edu.gh
- 138 John J. Reilly, University of Strathclyde, Physical Activity for Health Group, Glasgow, Scotland;
139 john.j.reilly@strath.ac.uk
- 140 Blanca Roman-Viñas, Nutrition Research Foundation, Barcelona, Spain; School of Health and Sport
141 Sciences (EUSES), Universitat de Girona, Salt, Spain; CIBER Physiopathology of Obesity and Nutrition
142 (CIBEROBN), Instituto de Salud Carlos III, Madrid, Spain; dietmed@fin.pcb.ub.es
- 143 Diego Augusto Santos Silva, Federal University of Santa Catarina, Research Center of Kinanthropometry
144 and Human Performance, Florianopolis, Santa Catarina, Brazil; diegoaugustoss@yahoo.com.br
- 145 Pairoj Saonuan, Promotion of Healthy Lifestyle Section, Thai Health Promotion Foundation
146 (ThaiHealth) Thailand; Pairoj@Thaihealth.or.th
- 147 John Scriven, Jersey Sport Foundation, Jersey, Channel Islands, Great Britain;
148 john.scriven@jerseysportfoundation.org.je
- 149 Jan Seghers, KU Leuven, Department of Movement Sciences, Leuven, Belgium;
150 jan.seghers@kuleuven.be
- 151 Natasha Schranz, Alliance for Research in Exercise, Nutrition and Activity, School of Health Sciences,
152 University of South Australia, Australia; natasha.schranz@mymail.unisa.edu.au

- 153 Thomas Skovgaard, Research and Innovation Centre for Human Movement and Learning and Research
154 Unit for Active Living, Department of Sports Science and Clinical Biomechanics, University of Southern
155 Denmark, Odense, Funen, Denmark; tskovgaard@health.sdu.dk
- 156 Melody Smith, School of Nursing, The University of Auckland, Auckland, New Zealand;
157 melody.smith@auckland.ac.nz
- 158 Martyn Standage, Centre for Motivation and Health Behaviour Change, Department for Health,
159 University of Bath, Bath, BA2 7AY, United Kingdom; m.standage@bath.ac.uk
- 160 Gregor Starc, Faculty of Sport, University of Ljubljana, Ljubljana, Slovenia; gregor.starc@fsp.uni-lj.si
- 161 Gareth Stratton, Applied Sport Technology Exercise and Medicine Research Centre, Swansea University,
162 Swansea, Wales, UK; g.stratton@swansea.ac.uk
- 163 Narayan Subedi, Maharajgunj Medical Campus, Institute of Medicine, Tribhuvan University, Nepal;
164 subedi.narayan@gmail.com
- 165 Tim Takken, Wilhelmina Children's Hospital, University Medical Center Utrecht, Utrecht, The
166 Netherlands; t.takken@umcutrecht.nl
- 167 Tuija Tammelin, LIKES Research Centre for Physical Activity and Health, Jyväskylä, Finland;
168 tuija.tammelin@likes.fi
- 169 Chiaki Tanaka, Division of Integrated Sciences, J. F. Oberlin University; c-tanaka@obirin.ac.jp
- 170 David Thivel, Laboratory of metabolic adaptations to exercise under physiological and pathological
171 conditions (AME2P), Clermont Auvergne University, research center for human nutrition (CRNH
172 Auvergne);
- 173 Dawn Tladi, Department of Physical Education, Health and Recreation, University of Botswana,
174 Gaborone, Botswana; dawn.tladi@mopipi.ub.bw

175 Richard Tyler, Applied Sport Technology Exercise and Medicine Research Centre, Swansea University,
176 Swansea, Wales, UK; R.P.O.Tyler.837039@swansea.ac.uk

177 Riaz Uddin, School of Health and Rehabilitation Sciences, The University of Queensland, St Lucia, QLD
178 4072, Australia; Department of Pharmacy, Stamford University Bangladesh, Dhaka 1217, Bangladesh;
179 riaz.uddin@uq.net.au

180 Alun Williams, Lifelong Learning Manager, Guernsey Education Services, Sir Charles Froissard House,
181 St Peter Port Guernsey; alun.williams@gov.gg

182 Stephen H.S. Wong, Department of Sports Science and Physical Education, The Chinese University of
183 Hong Kong, Hong Kong, China; hsswong@cuhk.edu.hk

184 Ching-Lin Wu, Graduate Institute of Sports and Health Management, National Chung Hsing University,
185 Taichung, Taiwan; psclw@dragon.nchu.edu.tw

186 Paweł Zembura, Robert B. Zajonc Institute of Social Science, Social Challenges Unit, University of
187 Warsaw, Warsaw, Poland; p.zembura@uw.edu.pl

188 Mark S. Tremblay, Healthy Active Living and Obesity Research Group, CHEO Research Institute,
189 Ottawa, Ontario, Canada; mtremblay@cheo.on.ca

190 **Corresponding author:** Mark S. Tremblay, Healthy Active Living and Obesity Research Group, CHEO
191 Research Institute, 401 Smyth Rd, Ottawa, Ontario, K1H 8L1, Canada; mtremblay@cheo.on.ca

192

193

194

195

Introduction

Physical inactivity, defined as engaging in insufficient levels of physical activity and not meeting the current physical activity recommendations,¹ has been identified as the fourth leading risk factor of premature mortality in adulthood.² In contrast, accumulating sufficient moderate to vigorous physical activity (MVPA) is recognised as a key determinant of physical, mental, social and environmental health.^{3,4} Among children and youth (5-17 years), several systematic reviews have reported physical activity benefits on physical, physiological, developmental, mental, cognitive, and social health as well as academic achievement.⁵⁻¹⁰ Despite these benefits, it has been estimated that 80% of youth (11-17 years old) worldwide do not reach the minimum recommendation of 60 minutes of MVPA per day.¹¹ This is alarming given that physical inactivity among school-aged children and youth has been found to be associated with adverse physical, mental, social and cognitive health outcomes^{5,8,12,13}, lower physical fitness,¹⁴ and lower physical activity levels in later life.¹⁵

To achieve a better understanding of the global variation in child and youth physical activity and its correlates, the Global Matrix of Report Card grades on physical activity was launched for the first time in 2014.¹⁶ Physical activity Report Cards were developed based on the Canadian Report Card model,¹⁷ using a harmonized process for data gathering, assessing, and assigning grades to indicators. For over a decade, the Canadian Report Card has been successful in raising awareness and influencing policies for childhood physical activity promotion. However these efforts have not yet translated into improving the physical activity levels of Canadian children and youth.¹⁸ Fifteen countries in 2014 (Global Matrix 1.0), and 38 countries in 2016 (Global Matrix 2.0), developed and launched Report Cards presenting grades for nine physical activity indicators, allowing for international comparisons and offering insights from global data.^{16,19} The first two Global Matrices enabled the identification of several gaps in surveillance and research practice. Also, a paradox of higher physical activity and lower sedentary behavior in countries

reporting poorer infrastructure, and lower physical activity and higher sedentary behavior in countries reporting better infrastructure was highlighted.^{16,19} While participation in the Global Matrices 1.0 and 2.0 facilitated capacity building, professional networking, research collaborations, and international comparisons, the Global Matrix framework still needs to be continuously expanded, improved, replicated and widely disseminated.¹⁹

The Global Matrix initiative is led by the Active Healthy Kids Global Alliance (AHKGA), which is an incorporated not-for-profit organization consisting of researchers, health professionals and stakeholders who collaborate to advance physical activity in children and youth from around the world.²⁰ In 2017, the AHKGA invited previous participating countries and called for new countries to register for the Global Matrix 3.0. As a result, work groups from 49 countries completed the full registration process and followed the harmonized procedures to develop their Report Cards by grading 10 common indicators (Overall Physical Activity, Organized Sport and Physical Activity, Active Play, Active Transportation, Sedentary Behaviors, Physical Fitness, Family and Peers, School, Community and Environment, and Government) using the best available data.

Countries in different development stages may have different challenges and priorities to inform strategies to improve physical activity among children and youth. Countries involved in the Global Matrix 3.0 were classified within three categories using the Human Development Index (HDI): low and medium HDI (<0.70), high HDI (≥ 0.70 to <0.80), and very high HDI (≥ 0.80). The HDI, ranging from zero to one, is a composite index calculated using data on education, life expectancy, and income per capita,²¹ and was created by the United Nations Development Programme to rank countries on a scale of human development conceptualized in terms of capabilities of humans within the countries to function.²² Nine of the participating countries were classified as low or medium HDI (Bangladesh, Botswana, Ethiopia,

Ghana, India, Nepal, Nigeria, South Africa, and Zimbabwe), 10 as high HDI (Brazil, Bulgaria, China, Colombia, Ecuador, Lebanon, Mexico, Thailand, Uruguay, and Venezuela), and 30 countries and territories as very high HDI (Australia, Belgium [Flanders], Canada, Chile, Chinese Taipei [Taiwan], Czech Republic, Denmark, England, Estonia, Finland, France, Germany, Guernsey, Hong Kong, Japan, Jersey, Lithuania, Netherlands, New Zealand, Poland, Portugal, Qatar, Scotland, Slovenia, South Korea, Spain, Sweden, United Arab Emirates, United States, and Wales).

This special issue of the *Journal of Physical Activity and Health* includes 49 extended abstracts documenting the main Report Card findings from each participating country. A manuscript presenting the international impact of the Report Cards and the Global Matrices on the international scientific community, on raising awareness among general population and stakeholders, and on powering the movement to get kids moving closes this special issue.²³ In addition, three papers were developed to present and discuss results from the Report Cards by pre-determined HDI categories as follows:

- “The Indicators of Physical Activity among Children and Youth in Nine Countries with Low and Medium Human Development Indices: A Global Matrix 3.0 Paper”;²⁴
- “Report Card Grades on the Physical Activity of Children and Youth from 10 Countries with High Human Development Index – Global Matrix 3.0”;²⁵
- “Report Card Grades on the Physical Activity of Children and Youth Comparing 30 Very High Human Development Index Countries”.²⁶

The aim of this integrated article is to combine and compare the findings from each of the HDI (low and medium; high; and very high) papers and present, compare, and discuss further analyses of the results from the 49 countries participating in the Global Matrix 3.0.

Methods

Creating the Global Matrix 3.0

In April 2017, the AHKGA invited interested countries to participate in, and register for the Global Matrix 3.0 through an open call that was distributed via established networks. Between April 2017 and January 2018, 49 countries from six different continents (Africa, Asia, Europe, North America, Oceania, and South America) registered and paid a registration fee based on their HDI classification to cover costs associated with the Global Matrix 3.0 initiative. Three different tiers of registration fees (\$500 USD for the low HDI countries, \$750 USD for the medium HDI countries, \$1,000 USD for the high HDI countries, and \$1,500 USD for the very high HDI countries) were offered to encourage equitable participation from around the world. Individuals who registered on behalf of their country were responsible for leading the effort to form a multidisciplinary Report Card work group of national physical activity experts and stakeholders. Furthermore, one to three Report Card leaders/co-leaders per country were designated officially to manage the national Report Card development, and to ensure effective communication between the AHKGA Executive Committee and the Report Card work group.

A mentoring system was developed for the Global Matrix 3.0. New Report Card leaders and teams were paired with an experienced Report Card leader from a country who participated in the Global Matrix 2.0. In addition, six members of the Executive Committee of AHKGA were assigned to be regional mentors for each involved continent to provide help and guidance to the countries when needed and report their progress to the AHKGA Executive Committee. Finally, the AHKGA Executive Committee served as the coordinating center of the Global Matrix development, and provided information including background papers, previous Report Cards and Report Card papers, fundraising suggestions, and a theoretical framework to support the preparation of grant proposals, scholarship and funding applications. The

AHKGA Executive Committee also provided guidance through monthly e-blasts by sharing milestones, and upcoming deadlines.

Harmonised Report Card Development

An updated list of indicators (to which grades would be assigned) and corresponding benchmarks were created based on the previous Global Matrix methods,¹⁹ and feedback received during a workshop after the Global Matrix 2.0 launch in Bangkok, Thailand (November, 2016). A new indicator, Physical Fitness, and its corresponding benchmarks were added to the list. The benchmark for Overall Physical Activity was modified in accordance with the new Canadian 24-Hour Movement Guidelines for Children and Youth,²⁷ where “at least 60 minutes of MVPA per day” was changed to “at least 60 minutes of MVPA per day *on average*”. Further modifications to the benchmarks were made during the development of the Global Matrix 3.0 to address several issues that were reported by Report Card leaders to the AHKGA Executive Committee. The final version of the benchmarks for the 10 indicators is presented in Table 1. A more detailed grading scheme using positive (+) and negative (-) mathematical symbols, was also developed (Table 2). In some countries, because of the modifications of the benchmarks from previous Global Matrices, grades for some indicators have changed while in fact, the situation was relatively the same. Consequently, while the Report Card work groups reported grades based on the revised benchmarks for the Global Matrix 3.0, some countries reported different grades in their national Report Grades (i.e., to be consistent with their previous methods). For example, in Colombia, with the new benchmark, a “D+” was assigned to Overall Physical Activity for the Global Matrix 3.0, while a “D-” is reported in the Colombian country Report Card, based on the previous benchmark.²⁸

Each country work group identified and complemented the list of indicators to be graded (i.e., the 10 common indicators and potentially additional ones that would be included in their national Report Card

but not in the Global Matrix 3.0) and gathered the highest quality of published and unpublished evidence, or in some cases collected data prospectively. Due to the lack of data concerning physical activity among children in the early years (0 - 4 years) observed in the previous Global Matrices, consensus was reached among the AHKGA Executive Committee that the 10 indicator grades should only be informed by data from school-aged children and youth (~5-17 years-old) for the Global Matrix 3.0 to ensure consistency across countries. Where possible, countries were also advised to consider and synthesize the best available evidence from approximately the past five years for each indicator. Through a harmonized and transparent Report Card development process, each country's work group collected and collated the best available evidence from local, national or international studies, national surveys, official reports, and normative documents, and then synthesized findings and reached consensus for the grading of each indicator. A draft of each country Report Card grades were submitted along with their rationale by Report Card leaders and were audited by members of the AHKGA Executive Committee to ensure that the grades were consistent with the harmonized benchmarks and grading scheme. This audit process led to minor changes of the grades or rationale for most of the countries.

Data Analysis

For analysis purposes, the 49 participating countries and regions were divided into three categories using the United Nations' HDI classification (low or medium, high, and very high HDI) described above. Sociodemographic data that are available online were compiled to identify the characteristics of the participating countries. Descriptive statistics (average grade and standard deviation) were calculated after converting categorical variables (letter grades) to interval variables (see corresponding numbers in Table 2), and the incomplete grades (INC) were converted into "No Grade" which was treated as a missing value. Averages were calculated by country, indicator, and category of HDI from the interval values and the floor (the number rounded down) was converted back to a letter grade. Three scores were generated

for the analysis: 1) Overall score computed as the sum of interval values for all indicators, 2) Behavioral score (the sum of Overall Physical Activity, Organized Sport and Physical Activity, Active Play, Active Transportation, and Sedentary Behaviors interval values), and 3) Sources of influence score (the sum of Family and Peers, School, Community and Environment, and Government interval values). “INC” grades were removed, and the scores were re-weighted accordingly (i.e., the missing grade was replaced by the sum of the interval values divided by the number of letter grades included in the score). Categorical variables (letter grades) were grouped into four (“A-B”, “C”, “D-F”, and “No Grade”) based on the overall score. These categories were then used to rank countries by the letter grade/score and category level in scatter plots. Correlational analyses between the 10 common indicators and sociodemographic indicators were performed using Spearman's rank correlation coefficients. Only significant moderate to strong correlations were considered for the discussion in this analysis ($r \geq 0.30$ or $r \leq -0.30$, $p < 0.05$).²⁹ Pairwise deletion was used to treat missing data (INC grades) in order to minimize the number of cases excluded from the analysis. All statistical analyses were performed, and maps were created in R version 3.4.1 (The R Foundation for Statistical Computing, Vienna, Austria). Several packages were loaded to extend base R including `corrplot`,³⁰ `ggplot2`,³¹ `UpSetR`,³² and `VIM`.³³

Results

A total of 52 countries responded to the AHKGA and showed interest in participation in the Global Matrix 3.0, but only 51 fully registered on time, and later on two countries withdrew. Sociodemographic characteristics of the 49 countries participating in the Global Matrix 3.0 are presented in Table 3. The HDI scores ranged from 0.448 (Ethiopia) to 0.985 (Jersey). Ethiopia also scored the lowest for the following: Growth National Income per Capita (\$1,523 USD), mean years of schooling (2.6 years), Global Food Security Index (33.3), urban population percentage (17.2%), and prevalence of people using improved drinking water sources (44%). Qatar scored highest in the Growth National Income per Capita

(\$129,916 USD) and the Gender Inequality Index (0.542). Public health expenditure in percentage of Growth Domestic Product was the highest in Sweden (10.0%) and the lowest in Venezuela (1.5%). Life expectancy at birth ranged from 53.1 years in Nigeria to 84.2 years in Hong Kong. Hong Kong also had the highest urban population percentage (100%) and the highest population density (6,987 people/km² of land area). The lowest Gini index (least income inequality) was observed in Slovenia (25.4) and the highest (greatest income inequality) in Botswana (60.5).

The physical activity grades for the 10 common indicators are organized by country in alphabetical order (Table 4). A total of 490 grades, including 369 letter grades and 121 “INC” grades, were assigned by the 49 Report Card work groups. A “Not Applicable” grade was assigned to Active Transportation by Qatar’s Report Card work group because of unsafe road conditions and a hot climate during most of the year.³⁴ The grade count, number of “INC” grades, mean number grade, standard deviation, and mean letter grade by indicator and group of indicators are presented in Table 5. The indicators with the lowest number of “INC” grades were Overall Physical Activity and Active Transportation (n = 2), while the indicator with the highest number of “INC” grades was Active Play (n = 29), followed by Physical Fitness (n = 27), and Family and Peers (n = 22). The mean letter grades ranged from “D” for Overall Physical Activity to “C” for Organized Sport and Physical Activity, Active Transportation, School, Community and Environment, and Government. An average grade of “C-” was obtained for the behavioral indicators combined, “C” for the sources of influence indicators combined, and “C-” was the overall average grade for the 369 letter grades. The average letter grades by indicator and group of indicators for the low and medium, high, and very high HDI countries are presented in Table 6. For the low and medium HDI countries, an average of “C” was obtained for the behavioral indicators combined and “D+” for the source of influence indicators combined, while for the very high HDI countries, an average of “D+” was obtained for the behavioral indicators combined and “C+” for the sources of influence indicators combined. For the high HDI countries, an average of “D+” was obtained for the behavioral indicators combined and for the sources of

influence indicators combined. Overall, an average grade of “C-”, “D+”, and “C-” was obtained for the low and medium HDI countries, high HDI countries, and very high HDI countries, respectively.

A plot for the estimated overall score of each country from the 10 indicators is presented in Figure 1 and the behavioral and sources of influence scores are shown in Figure 2 and Figure 3, respectively. Slovenia ranked first while China ranked 49th for the overall score (full rankings are shown in Figure 1); Nepal ranked first, and Estonia ranked last for the behavioral score (complete rankings are shown in Figure 2); and Slovenia ranked first while Venezuela ranked last for the source of influence score (see all country rankings in Figure 3). The Online Supplementary File S1 presents the correlation coefficients and their associated p-values between and within the 10 core physical activity indicators and the sociodemographic indicators. It showed that there were no statistically significant relationships between the Overall Physical Activity grade and the other core indicator grades with the exception of Sedentary Behaviors for which a statistically significant positive weak correlation was observed ($r = 0.39$, $p < 0.05$). Finally, presented in the Online Supplementary File S2 is the distribution of the grades (“A-B”, “C”, “D-F”, or “INC” grades) for the 10 common indicators and the average grades per country. Slovenia was the only country out of 49 with a very high grade for Overall Physical Activity (“A-”) while most of the other countries had “D-F” ($n = 38$). A greater variability in grades was observed for Sedentary Behaviors, but poor grades (“D-F”) were observed in most of the very high HDI countries.

Discussion

As a result of the efforts of the Report Card work groups, the Global Matrix 3.0 allowed us to present physical activity-related indicators for children and youth assembled across 49 countries with varying levels of human development (nine low and medium HDI, ten high HDI, and 30 very high HDI countries). While the average grades calculated for the indicators were all between “D” and “C” (Table

5), a great variety of grades was observed within and across the countries (Table 4), showing that every country is facing unique challenges and can learn from the successes or difficulties experienced by others. However, trends and comparable challenges identified across the physical activity indicators were identified within countries in the same HDI grouping despite their diverse sociodemographic, cultural, and geographical contexts. A discussion of the most and the least successful countries, followed by the interpretation of the findings from each indicator is presented in the following section, integrating the comparison of each HDI grouping.

Most successful countries

On the overall score, the very high HDI countries ranked generally higher than the low and medium, and high HDI countries (Figure 1), but this is not corroborated with results presented in Table 6 where the overall averages were the same for the low and medium HDI countries and the very high HDI countries. Slovenia obtained the best grade on average (“B”), followed by two other very high HDI countries (Japan and Denmark) that both obtained an average grade of “B-”. The specifics of childhood physical activity in these three countries has already been discussed in the paper presenting the findings from the very high HDI countries.²⁶ These three countries were also leading the ranking based on the sources of influence score (Figure 3). The ranking of the behavioral score was dominated by two low HDI countries (Nepal and Zimbabwe) and Japan (Figure 2). These rankings should be interpreted with caution given the large number of “INC” grades in their country Report Cards (two in Japan, three in Denmark, five in Nepal, and two in Zimbabwe).

Nepal lacked data to inform five of the 10 indicators that were assigned an “INC” grade (Organized Sport and Physical Activity, Active Play, Physical Fitness, School, and Government). A “D+” was assigned to Overall Physical Activity based on a study that found that only 39.8% of children and youth accumulated at least 60 minutes of MVPA per day. Nevertheless, Nepal shared the best grade for Active

Transportation with Japan and Zimbabwe (“A-”), obtained a high grade for Sedentary Behaviors (“B+”) and also scored highest for the Family and Peers indicator (“A”). These grades were all informed by local studies focusing on adolescents.³⁵ Nepal’s good grades in many of the indicators including Active Transportation and Sedentary Behavior may be associated with low automobile dependency (e.g., 7.12 vehicles for 1,000 people in 2011),³⁶ and minimal opportunities and access to screen-based recreational sedentary pursuits such as television- and computer-time, and time spent using the internet. Nepal had 5.30 televisions per 1,000 people (as of 2003); 4.37 computer (as of 2004), and 4.51 internet subscribers (as of 2012) for 1,000 people.³⁷ Due to the concurrent economic development in recent years in Nepal, the number of motorized vehicles is increasing rapidly with the expansion of road networks in rural areas,³⁸ and potentially more people have access to screen devices. These findings should be interpreted with caution, but they do suggest that the situation can potentially be positive in Nepal in terms of child and youth’s active transportation and sedentary behaviors at present. Yet, these favorable behaviors might be threatened by the economic growth and development and these physical activity behaviors may be more a function of poor economic development than a freely chosen physical activity. Nonetheless, more good quality research with nationally representative data is needed to obtain more reliable estimates of the physical activity of children and youth and to inform the grades with “INC” grades.

Zimbabwe had the second-best grade for Overall Physical Activity (“C+”) after Slovenia, with high grades for most of the behavioral indicators (“B” for Organized Sport and Physical Activity, “A-” for Active Transportation, and “B” for Sedentary Behaviors); however, its sources of influence indicators were assigned grades between “D” and “C”. In comparison with the previous Report Card in Zimbabwe, the grades for School, Community and Environment, and Government, have improved due to recent policy implementations and commitments made by the government to promote physical activity and nutritional status among Zimbabwean children and youth.³⁹ However, there is need for caution in interpreting these grades as they were informed by limited and mostly unpublished data and expert

opinion. Thus, more research is needed to obtain a reliable picture of the context of the physical activity level of children and youth in Zimbabwe.

Least successful countries

One low HDI country, Ethiopia, and two high HDI countries, Venezuela and China, were the least successful countries based on the overall and the source of influence score rankings (Figures 1 and 3). An average grade of “D-” was assigned to China, and an average grade of “D” was assigned to Ethiopia and Venezuela. China’s Report Card work group developed a national surveillance protocol to collect nationally representative data for China’s 2018 Report Card.⁴⁰ An “F” was assigned to four indicators (Overall Physical Activity, Sedentary Behaviors, Community and Environment, and Government) and the remaining indicators were assigned grades between “D-” and “C+”. The small proportions of 9-17-year-old children in China meeting the physical activity guidelines (13.1%) or the sedentary behavior guidelines (7.1%) are alarming.⁴⁰ With an estimated population of 1.4 billion,⁴¹ China is the most populated country in the world, and the low prevalence estimates observed here suggest that the majority of a large number of children and youth (approximately 160 millions of 10-19 year-olds in 2015)⁴¹ are not engaging in sufficient amounts of MVPA to benefit their health. However, the high levels of air pollution in China represents a major threat to the promotion of physical activity,⁴² and is a potential barriers stopping the Chinese children and youth from exercising. The recent support from the Chinese Ministry of Education in conducting national surveillance of children physical activity is however encouraging, and hopefully this support will be expanded to future investments in the development of interventions and policies designed to increase physical activity opportunities at community and environment levels in China.

In Ethiopia, an “F” was assigned to Sedentary Behaviors, Family and Peers, and Community and Environment, and the grades for the remaining indicators ranged between “D” and “C”, with the

exception of Active Play that was graded “B”. These findings should be interpreted with caution as the grades were informed by estimates based on experts opinion when data for an indicator were unavailable.⁴³ This method nevertheless did allow the Report Card work group to present an initial broad picture of childhood physical activity in Ethiopia.

Venezuela is currently facing a humanitarian crisis related to its economic and socio-political situation. Between 2016 and 2017, marked increases in maternal mortality (65%), infant mortality (30%), and cases of malaria (76%) were observed and the estimated prevalence of severe malnutrition among children under five years of age increased from 10.2% in February 2017 to 14.5% in September 2017.⁴⁴ Nevertheless, a Report Card was developed, using published and unpublished national survey data, peer-reviewed literature, government and nongovernment reports and online content, and meetings with experts working for governmental (municipal) and non-governmental organizations.⁴⁵ The Venezuelan Report Card work group assigned an “INC” grade to five indicators: Active Play, Sedentary Behaviors, Physical Fitness, Family and Peers, and School. An “F” grade was assigned to the Government indicator while the remaining indicators were graded “D” or “D-”, with the exception of Active Transportation which was graded “B-”. Though there were no physical activity data available for those under 15 years of age, the work group found that the majority of adolescents older than 15 years do not engage in physical activity regularly. In addition, the high rates of crime were identified as a barrier to physical activity. Currently, no governmental efforts to ensure safety and promote an active lifestyle in Venezuela are being implemented.⁴⁵

Overall Physical Activity

Only two countries assigned “INC” grades to the Overall Physical Activity indicator: Japan and Botswana. Slovenia, where more than 80% of children and youth aged between 6 and 19 years (according to subjective self-reported data), 88% of the 11 year-olds, and 66% of the 14 year-olds (according to

objective data) were meeting the physical activity guidelines, was the only country reporting a high grade for this indicator (“A-”).⁴⁶ For this indicator, the grades for the remaining countries ranged from “F” (Belgium, China, Scotland, South Korea, and Taiwan) to “C+” (Zimbabwe).

The Overall Physical Activity grade was informed by various types of data across countries: objective measurement with accelerometers or pedometers, self-report or proxy-report questionnaire, and expert opinion. Even among both the subjective and objective data, the methods varied substantially in terms of instruments, analysis, age range, sample size, and representativeness of samples.^{24,25,47} In addition, the available data in each country did not necessarily allow the Report Card work groups to use either of the recommended benchmarks (see Table 1) strictly when estimating the prevalence of physically active children and youth in their sample.^{24,25,47} For such reasons, the comparability of these results among the countries should be interpreted with caution.

Overall Physical Activity was the indicator with the lowest average grade: “D”. A distinction was observed between the low and medium HDI countries and the two other HDI groupings. The average grade for the low and medium HDI countries was “C-”, whereas both the high and very high HDI countries obtained an average of “D-”, which could represent a difference of 14-26% in physical activity guidelines adherence (“D-” = 20-26% vs. “C-” 40-46%). In accordance with this difference of grades, a significant low negative correlation was observed between the Overall Physical Activity indicator and several sociodemographic indicators including the HDI ($r = -0.3$, $p < 0.05$) and the growth national income per capita ($r = -0.33$, $p < 0.05$) (see Online Supplementary File, S1). The present study provides new evidence showing that the situation regarding the physical activity of children and youth is a universal concern worldwide. This finding is consistent with the results from the previous Global Matrices^{16,19} and recent global estimates.¹¹ Efforts should be made globally and collectively to develop standardized physical activity surveillance systems adapted to the national context of each country. Furthermore, developing effective strategies to increase physical activity opportunities for all should be a national public health priority in all countries regardless of the HDI background.

533

534 *Organized Sport and Physical Activity*

535 An “INC” grade was assigned for this indicator in seven countries: Bangladesh, Botswana, Ecuador,
 536 India, Jersey, Nepal, and United Arab Emirates. The Organized Sport and Physical Activity grades ranged
 537 from “F” (Lebanon and Uruguay) to “A-” (Denmark), with an average of “C”. The benchmark
 538 recommended for this indicator was the “percentage of children and youth who participate in organized
 539 sport and/or physical activity programs” (Table 1), meaning that this indicator did not provide any
 540 information on the dose (i.e., duration, frequency, intensity) of physical activity while participating in
 541 sport and organized physical activities, because few countries have such data. The grade for this indicator
 542 depends on the availability of organized sport opportunities and the availability of data reporting the
 543 prevalence of children and youth who have taken advantage of these opportunities. This grade was mostly
 544 informed by official reports from governmental and/or public institutions as well as self-reported surveys.

545

546 Organized Sport and Physical Activity was graded “C”, “D+”, and “C+” on average for the low and
 547 medium HDI countries, the high HDI countries, and the very high HDI countries, respectively. Among
 548 the nine low and medium HDI countries, five assigned a letter grade to this indicator, which ranged from
 549 “D” to “B”, with an average of “C”. In these countries, the organized sport opportunities corresponded
 550 mostly to school-based sports or sport teams and recreational sports organized by non-governmental
 551 organizations and communities. Among the high HDI countries, the grades ranged from “F” to “C+” with
 552 an average of “D+”. However, it is not possible to discern from the available data if these low grades
 553 correspond to the limited availability of organized sport opportunities (i.e., distal correlates) or if there are
 554 barriers (e.g., proximal correlates such as motivation, interest, time, or parental support) hindering
 555 children from participating while organized physical activities are readily available to them. In the very
 556 high HDI countries, with an average grade of “C+”, Organized Sport and Physical Activity was the
 557 highest graded behavioral indicator. In these countries, organized sport opportunities are available to

children and youth in various settings: sport club and federations, school-based sport teams and organized sport sessions, municipal sport programs, and sport programs offered by private businesses. In addition, significant low to moderate positive associations were observed between Organized Sport and Physical Activity and several sociodemographic indicators including HDI, life expectancy at birth, mean years of schooling, growth national income per capita, public health expenditure (% of GDP), Global Food Security index, improved drinking water coverage, and summer Olympic medal count; while significant low negative associations between this indicator and the two inequality indices (Gini index and Gender inequality index) (see Online Supplementary File, S1) were observed.

More research is needed to examine if affordable and appealing organized physical activity and sport opportunities are offered to all children and youth equally and equitably—across different age, gender, socioeconomic, ethnic, and special population groups—and to isolate the missing components of organized sports opportunities in each country. In addition, it would be interesting to add the measurement of the dose of physical activity associated with organized sports and physical activities in national physical activity surveillance systems. Filling these research and surveillance gaps is a necessary step towards the development of effective strategies to promote physical activity by increasing organized sport opportunities at the national level.

Active Play

Among the 20 countries that graded Active Play, this behavior was mostly measured by self- or proxy-report surveys, assessing the frequency or the time of active play/being active while playing,^{46,48–51} unstructured/unorganized active play,^{40,52–58} playing outdoors/outdoors activities/being outdoors,^{39,48,56,59–61} and/or was based on expert opinion.^{39,43,62,63} A definition for active play was proposed in a recent systematic review: “a form of gross motor or total body movement in which young children exert energy in a freely chosen, fun, and unstructured manner”.⁶⁴ A consensus definition, however, still needs to be

internationally agreed upon and acknowledged to allow the development of standardized measurement tools for this indicator in varying age groups.

Active Play was the indicator with the most “INC” grades where 29 of 49 countries were unable to find available data to grade this indicator. The grades ranged from “F” (Estonia and Thailand) to “B” (Ethiopia and The Netherlands) with an average of “D+”. The average grades for the low and medium HDI countries, high HDI countries, and very high HDI countries were “C-”, “D”, and “D+”, respectively. Given the amount of “INC” grades and the variability of the data used to inform the grades for the Active Play indicator, a valid comparison between the three HDI groupings was difficult. The low grades that were reported for this indicator aligned with the previous Global Matrices findings.^{16,19} Such low level of engagement in active play can potentially be explained by the low detection capacity of instruments utilized for its measurement. Active play during free time may be slowly disappearing in favour of screen time in developed countries or is replaced with chores or work in developing countries. Perception of the environment as unsafe can also be a potential barrier to this behavior. However, no relation was found between Active Play and the Community and Environment indicators (Online Supplementary File, S1). Further research is needed for the development of a consensus definition, measurement instruments, surveillance systems, and to identify the barriers and facilitators of active play.

Active Transportation

Only two countries did not assign a letter grade to Active Transportation: Qatar (not applicable) and United Arab Emirates (“INC”). The average grade for this indicator was D+ and ranged from “F” (Chile) to “A-” (Japan, Nepal, Zimbabwe). The recommended benchmark for this indicator was “the percentage of children and youth who use active transportation to get to and from places” (Table 1). For most of the countries, the grades were informed by data reporting the prevalence of children and/or youth actively

commuting between home and school without information on different doses (i.e., frequency, duration, intensity).

Active Transportation was the indicator with the highest average grade for the low and medium HDI countries (“C+”) and for the high HDI countries (“C”). The average grade for the very high HDI countries was “C-” for this indicator. In three of the four very high HDI countries from Eastern Asia, very high grades were assigned to this indicator: Japan (“A-”), Hong Kong (“B+”), and South Korea (“B+”). These three countries share similar characteristics historically, culturally, and developmentally,⁶⁵ and have shown a high percentage of urban population (83.3% to 100%, Table 3). A specific policy in Japan (limiting the distance between the children and youth homes and the public elementary and junior high schools),⁶⁶ and the high density of Hong Kong, and Japanese and South Korean cities, allow children and youth to live a short trip away from their school, which can minimize the use of car or other forms of motorized vehicles, and promote active travel.^{26,67,68}

High to very high grades for this indicator were also reported in several developing countries: Colombia (“B”), Nepal (“A-”), Nigeria (“B”), Venezuela (“B-”), and Zimbabwe (“A-”), while poor grades were reported for 16 of the 30 very high HDI countries (with grades between “F” and “C-”). However, no statistically significant relation was found between Active Transportation and Community and Environment indicators or the HDI in the correlational analysis. These findings suggest that, for developing countries, active transportation may be driven by a necessity (i.e., no access to public or family/personal motorized transportation) instead of a choice,⁶⁹ notwithstanding the safety of the environment or the long distance to commute. The measurement of the dose and the characteristics of children’s and youth’s active transportation internationally are necessary to identify the contribution of active transport to overall physical activity levels, as well as the facilitators and obstacles for this behavior in order to develop contextually adapted, effective ways to promote it. Strategies to improve safety

conditions and to promote active transportation as a desirable mode of transport are required in order to maintain the high grades in the countries leading this indicator and to improve those that are lagging.

Sedentary Behaviors

Sedentary Behaviors is defined as “any waking behavior characterized by an energy expenditure ≤ 1.5 metabolic equivalents, while in a sitting, reclining, or lying posture”.¹ Screen time, referring to time spent in screen-based behaviors¹, is often used as a proxy for sedentary behavior in research. Screen time can be performed while being sedentary or physically active,¹ however this behavior has been shown to be associated with a variety of negative health outcomes among children and youth.⁷⁰ This is why guidelines recommending limiting screen time to two hours daily for 5-17 year-olds were developed for the first time in Canada.⁷¹ Further, it was also the reason why the benchmark for Sedentary Behaviors focused on screen time: “percentage of children and youth who meet the *Canadian Sedentary Behaviour Guidelines* (5- to 17-year-olds: no more than 2 hours of recreational screen time per day)” (Table 1). However, the comparisons between the countries should be interpreted with caution because of the variability of the data that were used to inform the grades for this indicator. Several Sedentary Behaviors grades were partially or totally informed by data reporting time spent sitting or doing other sedentary activities that did not involve screens, and screen time cut-off points differing from the one in the benchmark (i.e., ≤ 1 hour/day, < 2 used hours/day, ≤ 3 hours/day) were also used by some countries because of available data.

Three countries assigned an “INC” grade to Sedentary Behaviors: Ghana, South Africa, and Venezuela. The grades for this indicator ranged from “F” (China, Estonia, Ethiopia, Scotland, and Wales) to “A-” (Bangladesh), with an average of “D+”. These findings are consistent with international estimates reporting that at least two thirds of the children exceed 2 hours of recreational screen time per day,⁷² although comparison may be limited by the heterogeneity in Sedentary Behaviors across countries. The low and medium HDI countries obtained an average of “C+” for this indicator, and only two of the eight

countries had a low grade: Ethiopia “F” and India “C-”. The grades for the six remaining low and medium HDI countries ranged from “B” to “A-”. The high and the very high HDI countries obtained an average grade of “D” and “D+”, respectively, for Sedentary Behaviors. In 36 out of the 39 high and very high HDI countries that graded this indicator, a low or very low grade (between “F” and “C-”) was assigned. Regardless, the Sedentary Behaviors grades were not related to HDI or to the other sociodemographic indicators except the mean years of schooling ($r = 0.31$, $p < 0.05$) and the summer Olympic medal count ($r = -0.57$, $p < 0.05$) in the correlational analysis presented in the Online Supplementary File S1.

The results presented here suggest that the situation concerning the childhood screen time is particularly concerning in high and very high HDI countries. The moderately good grades for Sedentary Behavior in the low and medium HDI countries are potentially threatened to decrease with their continuing economic growth and development, which may lead to increased access to electronic devices. Several interventions to reduce screen time have been developed and tested, and results from systematic reviews and meta-analyses reported that interventions to reduce children’s screen time can have a small but significant effect.⁷³ More research is necessary to accumulate more evidence on the effectiveness of specific interventions across different contexts and settings, but investment from public health institutions in high and very high HDI countries to support the implementation of these interventions in the child and youth population should become a priority.

Physical Fitness

Physical fitness represents the ability to perform daily activities with vigor, and the demonstration of traits and capacities that are associated with a lower risk of the premature development of diseases associated with physical inactivity.⁷⁴ Cardiorespiratory endurance, muscular endurance, muscular strength, body composition, and flexibility are the health-related components of physical fitness.⁷⁵ The Global Matrix 3.0 evaluated the Physical Fitness indicator for the first time, and 27 countries were unable

to find available data to inform the grade for this indicator in. In the remaining countries, the grade for Physical Fitness ranged from “F” (India) to “A” (Japan), with an average of “C-”. India was the only country from the low and medium HDI countries with a letter grade for this indicator. Among the 10 high HDI countries, only four had a letter grade reported for this indicator: Brazil (“D”), China (“D”), Colombia (“D-”), and Uruguay (“C-”), with an average of “D”. A letter grade was assigned to 17 of the 30 very high HDI countries, ranging from “D” (Canada, Chile, Hong Kong, and Jersey) to “A” (Japan).

The benchmark for this indicator corresponded to the average percentile achieved on certain health-related physical fitness components based on the normative values published by Tomkinson et al (Table 1).⁷⁶ However, many differences in the data informing the grades for this indicator were observed across countries in terms of number fitness indicators reported, normative value used, age range and sample size. Given the amount of “INC” grades and variability in the data informing the grades for this indicator, the comparison between HDI groupings is difficult. Cardiorespiratory fitness (measured with the 20-meter shuttle run test) was found to be associated with favourable indicators of adiposity and some indicators of cardiometabolic, cognitive, and psychosocial health in boys and girls from 32 countries in a recent systematic review.⁷⁷ Therefore, cardiorespiratory fitness is an important indicator of current and future health among school-aged children and youth, and can be used as a holistic indicator of population health in this age group.⁷⁸ These findings highlight that global surveillance of physical fitness, which represents a simple and cost-effective assessment⁷⁹ that could be integrated in physical education classes, should be a priority in all countries.

Family and Peers

The average grade for Family and Peers was the same among the three HDI groupings: “D+”. An “INC” grade was assigned in 22 countries: four from the low and medium HDI group, six from the high HDI group, and 12 from the very high HDI group. The grades ranged from “F” (Chile, Ecuador, Ethiopia,

Ghana) to “A” (Nepal). This amount of “INC” grades and the letter grades reported are consistent with the previous Global Matrices.^{16,19}

Support from parents and peers is recognized as a correlate of physical activity in children and youth;⁸⁰ however, the nature of this interaction is complex and no valid and internationally recognized instrument exists to measure the influence of family and friends on children and youth’s physical activity at present. This is why several benchmarks were proposed to capture a picture of the influence of Family and Peers (Table 1), and variability in the data used to inform the letter grades for this indicator was observed. The number of “INC” grades and the measurement variation for this indicator limit the comparison and the interpretation of the letter grades reported. However, these findings highlight the need for the development of standardized methods for the surveillance of this indicator in various settings and contexts.

School

Given the potentially significant amount of time that children and youth spend at school, this environment is a strategically important setting for the promotion of physical activity. Physical activity opportunities can be provided to children and youth in the school environment through physical education, lunch and recess breaks, in-class physical activities, and in intramural competitive and non-competitive activities before or after school.⁸¹ However, school physical activity policies, if they exist at all, differ from one country to another, and are not always mandatory.

The average grade for the School indicator was “C”, and Report Card work groups in eight countries could not assign a letter grade to this indicator (Bangladesh, Ecuador, Guernsey, India, Nepal, Scotland, Venezuela, Wales). This indicator ranged from “D-” (South Africa, United Arab Emirates, United States) to “A” (Finland, Portugal, Slovenia). The average grade for this indicator was “D+” for the low and medium HDI countries. For the high HDI countries, School was the source of influence indicator that

obtained the highest average grade (“C-”). The very high HDI countries obtained an average grade of “B-”, and it is worth noting that only medium to favorable grades (“C” to “A”) were assigned to European countries (high and very high HDI countries included). The correlational analysis found a significant moderate association between the School indicator and six of the sociodemographic indicators: the HDI ($r = 0.53, p < 0.001$), the mean years of schooling ($r = 0.51, p < 0.001$), the Gini Index ($r = -0.66, p < 0.001$), the Gender Inequality Index ($r = -0.65, p < 0.001$), the Global Food Security Index ($r = 0.52, p < 0.05$) and the distance to Equator ($r = 0.55, p < 0.001$). In other words, the grades for school indicator increased as the HDI, the mean years of schooling, the food security and the distance to the equator increased, and as the Gender Inequality Index and the Gini index decreased. These findings align with the results of the Global Matrix 2.0.¹⁹

These findings further suggest that the quality and/or quantity of physical activity opportunities offered by the school are associated with the economic and development status of a given country. Cultural values attributed to sport and or physical activity can also be potential barriers or facilitators for this indicator. Quality school policies and programs related to physical activity for the three European countries leading this indicator (Finland, Portugal, Slovenia) have already been highlighted elsewhere.^{19,26} While mandatory physical education classes is part of the school curriculum in most European countries for all school grades, it is only optional in some other countries from other parts of the world. For example, in the United States, the percentage of schools delivering mandatory physical education classes, in each grade, decrease from 97% in 6th grade to 42% in 12th grade.⁸² In the United Arab Emirates, only 26% of adolescents aged 13-17 years reported participating in physical education class on three or more days each week.⁸³ In South Africa, 32% of children do not participate in school physical education classes, and no evidence of progress in the prioritization of physical education in the schools was found by the Report Card work group.⁸⁴ Similarly, two consecutive Report Cards from South Korea highlighted that the emphasis on important subjects (e.g., math, science) for university admission overrides the importance of physical activity in the Korean education system.^{85,86} Though the new 2018 Korean national curriculum

requires schools to provide mandatory physical education, it is regarded as a minor subject and, with progressing school grades, it is devalued and neglected.⁸⁷

Evidence showed that adding more time to academic or curricular subjects by taking time away from physical education programs was found not to enhance academic achievement in the corresponding academic subjects and to be potentially detrimental to health.⁸⁸ Conversely, allocating more time to physical activity from other subjects can improve the time children spend engaging in MVPA without the risk of “hindering students’ academic achievement”.⁸⁸ The measure of the dose of physical activity occurring in school should also be added to the national surveillance systems globally to identify the needs in terms of policies and interventions aimed at promoting physical activity at school. In addition, the Global Matrix 3.0 findings suggest that developing interventions or programs targeting schools in low and medium HDI countries should be a priority on the international public health agenda.

Community and Environment

The Community and Environment indicator obtained an average grade of “C” and had 13 “INC” grades. The grades ranged from “D-” (Venezuela) to “A” (Sweden). The low and medium HDI countries obtained an average of “D”, and the high HDI countries obtained a “D+”. Among the very high HDI countries the Community and Environment indicator was the indicator with the highest average grade (“B-”). The correlational analysis (see Online Supplementary File, S1) found a positive significant moderate to strong association between the Community and Environment indicator and the HDI ($r = 0.73$, $p < 0.001$), the life expectancy at birth ($r = 0.74$, $p < 0.001$), mean years of schooling ($r = 0.64$, $p < 0.001$), Growth National Income per capita ($r = 0.80$, $p < 0.001$), public health expenditure ($r = 0.67$, $p < 0.001$), Global Food Security Index ($r = 0.71$, $p < 0.001$), urban population percentage ($r = 0.51$, $p < 0.001$), improved drinking water coverage ($r = 0.77$, $p < 0.001$) and distance to Equator ($r = 0.58$, $p < 0.001$); and a negative significant moderate to strong association was found with the Gini Index ($r = -0.62$, $p < 0.001$) and Gender Inequality

Index ($r = -0.83$, $p < 0.001$). These findings aligned with the results of the previous Global Matrices^{16,19} and reinforce the importance of income and gender equity for the physical activity and overall population health.

Characteristics of the built environment are recognized as a potential source of influence on the physical activity level of children and youth.^{89–91} Given that a great number of characteristics could potentially influence the physical activity of children and youth, numerous benchmarks were proposed to evaluate this indicator. A great variability of data were used to inform the grades for this indicator, limiting direct comparisons between countries. Yet, the significant correlations suggest that despite the variability of data available that was used to inform the grade for this indicator, the Report Card work groups assigned a grade that was coherent with the characteristics of the environment. The available evidence from this indicator suggests that the characteristics of the built environment potentially influencing the physical activity of children and youth are already favorable in the very high HDI countries, and that an increase of the grades for this indicator is expected with the further development of low, medium, and high HDI countries.

Government

The average grade for the Government grade was “C”, and an “INC” grade was assigned in eight countries. With an average of “C-”, Government was the source of influence indicator with the highest average in low and medium HDI countries. The high HDI countries obtained an average of “D+”, and the very high HDI countries a “C+”. The highest grades for this indicator were reported in high and very high HDI countries. The correlation analysis found significant low associations between the Government indicator and the growth national income per capita ($r = 0.48$, $p < 0.005$), public health expenditure ($r = 0.48$, $p < 0.005$), Gini index ($r = -0.45$, $p < 0.005$), Gender Inequality Index ($r = -0.45$, $p < 0.005$), improved water coverage ($r = 0.44$, $p < 0.005$), and distance to the equator ($r = 0.31$, $p < 0.005$).

Similar to the Community and Environment indicator, a government can potentially influence the physical activity level of children and youth in multiple ways. As there is no official standardized method to evaluate this influence, the recommended benchmark for this indicator focused on evidence of leadership and commitment, allocated funds and resources, and demonstrated progress for the promotion of physical activity opportunities for all children and youth (Table 1). As a result, the grades were informed by very different types of data across countries, and the Report Card work groups did not always have access to relevant quantitative data, and therefore graded this indicator mostly based on expert opinion when required.

The low behavioral grades that were reported broadly in the Global Matrix 3.0 suggest that the government's efforts and physical activity policies are not reflected in an increase in the prevalence of MVPA among children and youth, and/or that there is an implementation gap between the strategy level (source of influence indicators) and individual level (behavioral indicators). More research is needed globally to identify the potential barriers for the engagement of children at the country and community level, in different contexts and settings.

Integrated discussion

Overall, the average grades obtained for each indicator were low, and a small variation was observed within the 10 indicators ("D" to "C"). More diversity was observed between the three HDI groupings, between the countries, and within each country. Higher behavioral grades and lower source of influence grades were generally observed in the low and medium HDI countries, while the opposite was observed for the very high HDI countries, and generally low average grades were reported for each indicator in the high HDI countries. It is important to highlight that the overall concerning levels of physical activity and sedentary behavior among children and youth may be indicative of a global crisis. Moreover, this phenomenon may get worse with the economic growth and development of low, medium and high HDI

countries, and very high rates of non-communicable diseases can be anticipated when the current generation of children and youth reaches adulthood unless a major shift to a more active lifestyle happens soon. Strategies to mitigate the projected reduction in habitual physical activity in developing countries should learn from countries who have already navigated the physical activity transition.⁹²

Strengths and Limitations

A major limitation of this study was the amount of missing data to inform the grades, resulting in a total of 121 “INC” grades of the 490 grades in total. In addition, the great variability of the data (e.g., in terms of benchmark, measurement instrument, age range, sample size, quality, quantity) that were used to inform the grades was observed between the countries for each indicator, and in many cases the available data did not permit the Report Card work groups to align strictly with the recommended benchmarks. Furthermore, a loss of information potentially occurred when translating original prevalence data to a letter grade, as letter grades provide less information than continuous variables. Consequently, all the comparisons, correlations and interpretations involving the grades are limited and should be interpreted with caution, as two identical grades for the same indicator can capture two very different contexts from one country to another. Excluding the countries with insufficient data and imposing to assign “INC” grades every time the data did not fit exactly with the benchmarks for each indicator could have been an alternative strategy. But this approach would have significantly reduced the number of countries and grades included in the Global Matrix 3.0 and the relevance of conducting international comparisons. Despite the limitations of the underlying data, this encyclopedia of global information of the physical activity of children and youth represents the richest source of such information compiled to date.

Another limitation of the Global Matrix 3.0 was the lack of representativeness of some areas of the world and some specific child and youth populations. Indeed, the participation of a total of 49 countries or nations meant that most of the countries around the world were still missing. In particular, the South

Pacific islands nations, where the average body mass indices for child and youth were estimated to be the highest of the world,⁹³ are missing, as well as countries from Central Asia, and North Africa. Additionally, children and youth with disabilities were not explicitly included in this analysis while the Global Matrix process could help to identify and circulate best-practice strategies in terms of physical activity promotion for these specific populations.¹⁹ Furthermore, the disparities and inequities across gender, socioeconomic status, or urban versus rural dwelling were mentioned in only a handful of Report Card articles, thus they were not analyzed or discussed in this study.

The correlation analyses showed that the Overall Physical Activity grade had a low positive association with Sedentary Behaviors and was not statistically related with the eight remaining indicators (Online Supplementary File, S1). This can potentially be the consequence of the aforementioned limitations, but another hypothesis may explain this absence of relation. The absence of statistically significant correlations between Overall Physical Activity, and Organized Sport and Physical Activity, Active Play, and Active Transportation, may have resulted from the fact that the physical activity dose related to these indicators was not measured well. The absence of a relation between the source of influence indicators and Overall Physical Activity may suggest that a favorable physical and social environment is not enough to induce individual engagement in sufficient amounts of MVPA. In addition, the absence of choice (i.e., children that have no other options than using active transportation regardless of safety and any other characteristics of the source of influence), child labor, and the cultural values attributed to physical activity and sports were not evaluated in this study.

Major strengths of this work include the large number of countries who adopted the harmonized Report Card development process and the quantity of data used to inform an international, comprehensive and meaningful comparison of physical activity behaviors of children and youth. In addition, the AHKGA facilitated and supported the development of Report Cards from 49 countries, by providing the Report Card work groups from each participating country with a platform to capture, synthesize, interpret, and publish the findings with autonomy. With the 49 countries participating and the 10 common indicators

being graded by each participating country, the Global Matrix 3.0 represents the most comprehensive and meaningful comparison of the contexts of the physical activity of children and youth. In addition, the identification and discussion of major trends concerning the characteristics of the physical activity of children and youth among the three HDI groupings were realized for the first time.^{24–26} Finally, major research and surveillance gaps, including the need for the development and the international adoption of standardized methods to conceptualise and measure the ten indicators, were identified and highlighted for each indicator in the present paper.

The launch of the Global Matrix 3.0 is the result of a tremendous amount of work by the AHKGA Executive Committee members and from the physical activity experts and stakeholders from all over the world for the past 15 months. The 49 Report Cards were developed by supported and unsupported work groups of professionals who acknowledge the importance of a healthy and active lifestyle for the present and the future of the children and youth worldwide. The involvement of governmental and non-governmental organizations in the development of some of the national Report Cards is a potential sign of a growing interest in the childhood physical inactivity crisis; and it is hoped that this awareness will be translated into support for the development of effective interventions increasing physical activity opportunities for all. In addition, the development of a national Report Card of physical activity for children and youth, and the participation in the Global Matrix initiative, were found to contribute to raising awareness on the childhood physical inactivity issue nationally and internationally, building capacity within participating countries, and potentially influencing the creation of physical activity opportunities in the future.²³ It is hoped that more physical activity experts and stakeholders will rally with AHKGA members to pursue and expand the Global Matrix initiative and will help filling the identified gap in physical activity research and surveillance. The AHKGA, with the contribution of its international network of researchers, will be available to offer guidance to the countries willing to develop national surveillance of physical activity, and policies or interventions promoting physical activity among children and youth.

897

898 **Conclusion**

899 A comprehensive summary of the grades, comparison and interpretation of 10 physical activity indicators
900 among 49 countries were presented in this Global Matrix 3.0 paper. Higher behavioral grades and lower
901 source of influence grades were generally observed in the low and medium HDI countries, while lower
902 behavioral grades and higher source of influence grades were observed for the very high HDI countries,
903 and generally low average grades for each indicator in the high HDI countries. International research and
904 surveillance gaps were also identified by the Global Matrix 3.0 and the Report Card initiatives.
905 Internationally collaborative and collective efforts are needed to redirect the persisting trend of low
906 physical activity and high sedentary behavior among children and youth worldwide. Strategic public
907 investments to implement effective interventions within families, communities, and schools to increase
908 physical activity opportunities are needed. It is hoped that researchers and relevant stakeholders will
909 collaborate internationally to address the research and surveillance gaps highlighted in this paper and
910 expand the Global Matrix initiative to include more countries.

911

912 **Acknowledgments**

913 The authors would like to acknowledge the then Active Healthy Kids Canada (now ParticipACTION) for
914 developing the Report Card methodology, and the AHKGA Executive Committee for modifying and
915 standardizing the benchmarks and grading rubric and leading this international initiative. We are grateful
916 for all the hard work by each participating country's Report Card Work Group and Leaders and all other
917 members of their Report Card Committees. We also want to thank Evan Turner for his work on the
918 compilation of the sociodemographic characteristics of the participating countries.

References

1. Tremblay MSMS, Aubert S, Barnes JDJD, et al. Sedentary Behavior Research Network (SBRN) - Terminology Consensus Project process and outcome. *Int J Behav Nutr Phys Act.* 2017;14(1):75. doi:10.1186/s12966-017-0525-8
2. World Health Organization. Mortality and burden of disease attributable to selected major risks. 2009:70. http://www.who.int/healthinfo/global_burden_disease/GlobalHealthRisks_report_full.pdf. Accessed April 4, 2018.
3. World Health Organization, WHO. Global recommendation on physical activity for health. http://www.who.int/dietphysicalactivity/factsheet_recommendations/en/. Published 2010. Accessed January 11, 2018.
4. Bull FC, Gauvin L, Bauman A, Shilton T, Kohl HW, Salmon A. The Toronto Charter for Physical Activity: A Global Call for Action. *J Phys Act Health.* 2010;7:421-422. <https://pdfs.semanticscholar.org/4b34/24f9139dbf473ac035737ca53ac94c633639.pdf>. Accessed April 5, 2018.
5. Janssen I, LeBlanc AG. Systematic review of the health benefits of physical activity and fitness in school-aged children and youth. *Int J Behav Nutr Phys Act.* 2010;7(1):40. doi:10.1186/1479-5868-7-40
6. Biddle SJH, Asare M. Physical activity and mental health in children and adolescents: a review of reviews. *Br J Sports Med.* 2011;45(11):886-895. doi:10.1136/bjsports-2011-090185
7. Strauss RS, Rodzilsky D, Burack G, Colin M. Psychosocial Correlates of Physical Activity in Healthy Children. *Arch Pediatr Adolesc Med.* 2001;155(8):897. doi:10.1001/archpedi.155.8.897

8. Poitras VJ, Gray CE, Borghese MM, et al. Systematic review of the relationships between objectively measured physical activity and health indicators in school-aged children and youth. *Appl Physiol Nutr Metab*. 2016;41(6 (Suppl. 3)):S197-S239. doi:10.1139/apnm-2015-0663
9. Donnelly JE, Hillman CH, Castelli D, et al. Physical Activity, Fitness, Cognitive Function, and Academic Achievement in Children: A Systematic Review. *Med Sci Sports Exerc*. 2016;48(6):1197-1222. doi:10.1249/MSS.0000000000000901
10. Esteban-Cornejo I, Tejero-Gonzalez CM, Sallis JF, Veiga OL. Physical activity and cognition in adolescents: A systematic review. *J Sci Med Sport*. 2015;18(5):534-539. doi:10.1016/J.JSAMS.2014.07.007
11. Sallis JF, Bull F, Guthold R, et al. Progress in physical activity over the Olympic quadrennium. *Lancet*. 2016;388(10051):1325-1336. doi:10.1016/S0140-6736(16)30581-5
12. Kremer P, Elshaug C, Leslie E, Toumbourou JW, Patton GC, Williams J. Physical activity, leisure-time screen use and depression among children and young adolescents. *J Sci Med Sport*. 2014;17(2):183-187. doi:10.1016/J.JSAMS.2013.03.012
13. McMahon EM, Corcoran P, O'Regan G, et al. Physical activity in European adolescents and associations with anxiety, depression and well-being. *Eur Child Adolesc Psychiatry*. 2017;26(1):111-122. doi:10.1007/s00787-016-0875-9
14. Blair SN, Cheng Y, Holder SJ. Is physical activity or physical fitness more important in defining health benefits? *Med Sci Sport Exerc*. 2001;33(6):S379-S399. https://journals.lww.com/acsm-msse/Fulltext/2001/06001/Is_physical_activity_or_physical_fitness_more.7.aspx.
15. Telama R, Yang X, Viikari J, Välimäki I, Wanne O, Raitakari O. Physical activity from childhood to adulthood: A 21-year tracking study. *Am J Prev Med*. 2005;28(3):267-273. doi:10.1016/J.AMEPRE.2004.12.003

- 964 16. Tremblay MS, Gray CE, Akinroye K, et al. Physical Activity of Children: A Global Matrix of
965 Grades Comparing 15 Countries. *J Phys Act Health*. 2014;11(s1):S113-S125.
966 doi:10.1123/jpah.2014-0177
- 967 17. Colley RC, Brownrigg M, Tremblay MS. A Model of Knowledge Translation in Health. *Health*
968 *Promot Pract*. 2012;13(3):320-330. doi:10.1177/1524839911432929
- 969 18. Tremblay MS, Barnes JD, Bonne JC. Impact of the Active Healthy Kids Canada Report Card: A
970 10-Year Analysis. *J Phys Act Health*. 2014;11(s1):S3-S20. doi:10.1123/jpah.2014-0167
- 971 19. Tremblay MS, Barnes JD, González SA, et al. Global Matrix 2.0: Report Card Grades on the
972 Physical Activity of Children and Youth Comparing 38 Countries. *J Phys Act Health*. 2016;13(11
973 Suppl 2):S343-S366. doi:10.1123/jpah.2016-0594
- 974 20. Active Healthy Kids Global Alliance. About Us » Active Healthy Kids Global Alliance.
975 <https://www.activehealthykids.org/about-us/>. Accessed May 27, 2018.
- 976 21. United Nations Development Programme. Human Development Index (HDI) | Human
977 Development Reports. <http://hdr.undp.org/en/content/human-development-index-hdi>. Accessed
978 April 7, 2018.
- 979 22. Land KC. The Human Development Index: Objective Approaches (2). In: *Global Handbook of*
980 *Quality of Life*. Dordrecht: Springer Netherlands; 2015:133-157. doi:10.1007/978-94-017-9178-
981 6_7
- 982 23. Aubert S, Barnes JD, Forse M, Turner E, Schranz N, Tremblay MS. International Impact of the
983 Report Cards and Global Matrices of Physical Activity Grades for Children and Youth. *J Phys Act*
984 *Health*. 2018 (*this issue*).
- 985 24. Manyanga T, Barnes JD, Abdeta C, Tremblay MS, Adbeta C, Tremblay MS. The Indicators of

- Physical Activity among Children and Youth in Nine Countries with Low and Medium Human Development Indices: A Global Matrix 3.0 Paper. *J Phys Act Health*. 2018 (this issue).
25. González SA, Barnes JD, Abi Nader P, Tremblay MS. Report Card Grades on the Physical Activity of Children and Youth from 10 Countries with High Human Development Index – Global Matrix 3.0. *J Phys Act Health*. 2018 (this issue).
26. Aubert S, Barnes JD, Aguilar-Farias N, Tremblay MS. Report Card Grades on the Physical Activity of Children and Youth Comparing 30 Very High Human Development Index Countries. *J Phys Act Health*. 2018 (this issue).
27. Tremblay MS, Carson V, Chaput J-P, et al. Canadian 24-Hour Movement Guidelines for Children and Youth: An Integration of Physical Activity, Sedentary Behaviour, and Sleep. *Appl Physiol Nutr Metab*. 2016;41(6 (Suppl. 3)):S311-S327. doi:10.1139/apnm-2016-0151
28. González SA, Triana CA, Abaunza C, et al. Results from Colombia’s 2018 Report Card on Physical Activity for Children and Youth. *J Phys Act Health*. 2018 (this issue).
29. Mukaka M. A guide to appropriate use of Correlation coefficient in medical research. *Malawi Med J*. 2012;24(3):69-71. <https://www.ajol.info/index.php/mmj/article/view/81576>. Accessed August 23, 2018.
30. Wei T, Simko V, Levy M, Xie Y, Jin Y, Zemla J. Visualization of a Correlation Matrix: Corrplot. 2017. <https://github.com/taiyun/corrplot>.
31. Wickham H. *Ggplot2: Elegant Graphics for Data Analysis*. Vol 77. Second. (Springer-Verlag, ed.). New York; 2009.
32. Conway JR, Lex A, Gehlenborg N. UpSetR: an R package for the visualization of intersecting sets and their properties. *Bioinformatics*. 2017;33(18):2938-2940. doi:10.1093/bioinformatics/btx364

- 1008 33. Kowarik A, Templ M. Imputation with the R Package VIM. *J Stat Softw.* 2016;74(7):1-16.
1009 doi:10.18637/jss.v074.i07
- 1010 34. Ibrahim I, Al Hammadi E, Sayegh S, et al. Results from Qatar's 2018 Report Card on Physical
1011 Activity for Children and Youth. *J Phys Act Health.* 2018 (*this issue*).
- 1012 35. Subedi N, Paudel S, Nepal S, Karki A. Results from Nepal's 2018 Report Card on Physical
1013 Activity for Children and Youth. *J Phys Act Health.* 2018 (*this issue*).
- 1014 36. Macro Economy Meter. Vehicles per 1000 people - Nepal.
1015 <http://mecometer.com/whats/nepal/vehicles-per-thousand-people/>. Accessed August 16, 2018.
- 1016 37. NationMaster.com. Nepal Media Stats. [http://www.nationmaster.com/country-](http://www.nationmaster.com/country-info/profiles/Nepal/Media)
1017 [info/profiles/Nepal/Media](http://www.nationmaster.com/country-info/profiles/Nepal/Media). Accessed August 16, 2018.
- 1018 38. My Republica. 3.1 million motor vehicles on Nepali roads:
1019 DoTM.[https://myrepublica.nagariknetwork.com/news/3-1-million-motor-vehicles-on-nepali-](https://myrepublica.nagariknetwork.com/news/3-1-million-motor-vehicles-on-nepali-roads-dotm/)
1020 [roads-dotm/](https://myrepublica.nagariknetwork.com/news/3-1-million-motor-vehicles-on-nepali-roads-dotm/). Published 2018.
- 1021 39. Manyanga T, Munambah NE, Mahachi CB, Makaza D, Mlalazi TF. Results from Zimbabwe's
1022 2018 Report Card on Physical Activity for Children and Youth. *J Phys Act Health.* 2018 (*this*
1023 *issue*).
- 1024 40. Liu Y, Tang Y, Cao Z-B, et al. Results from China's 2018 Report Card on Physical Activity for
1025 Children and Youth. *J Phys Act Health.* 2018 (*this issue*).
- 1026 41. United Nations. World Population Prospects - Population Division - United Nations.
1027 <https://esa.un.org/unpd/wpp/Download/Standard/Population/>. Accessed August 17, 2018.
- 1028 42. Lü J, Liang L, Feng Y, et al. Air Pollution Exposure and Physical Activity in China: Current
1029 Knowledge, Public Health Implications, and Future Research Needs. *Int J Environ Res Public*

- 1030 *Health*. 2015;12(11):14887-14897. doi:10.3390/ijerph121114887
- 1031 43. Abdeta C, Teklemariam Z, Deksis A, Abera E. Results from Ethiopia's 2018 Report Card on
1032 Physical Activity for Children and Youth. *J Phys Act Health*. 2018 (*this issue*).
- 1033 44. Human Rights Watch. World Report 2018: Venezuela | Human Rights Watch.
1034 <https://www.hrw.org/world-report/2018/country-chapters/venezuela>. Accessed August 17, 2018.
- 1035 45. Herrera-Cuenca M, Méndez-Pérez B, Landaeta-Jiménez M, et al. Results from Venezuela's 2018
1036 Report Card on Physical Activity for Children and Youth. *J Phys Act Health*. 2018 (*this issue*).
- 1037 46. Sember V, Morrison SA, Jurak G, et al. Results from Slovenia's 2018 Report Card on Physical
1038 Activity for Children and Youth. *J Phys Act Health*. 2018 (*this issue*).
- 1039 47. Aubert S, Barnes JD, Abdeta C, Tremblay MS. Physical Activity Report Card Grades for Children
1040 and Youth: Result and Analysis from 49 Countries. *J Phys Act Health*. 2018 (*this issue*).
- 1041 48. Bhawra J, Chopra P, Harish R, Mohan A. Results from India's 2018 Report Card on Physical
1042 Activity for Children and Youth. *J Phys Act Health*. 2018 (*this issue*).
- 1043 49. Demetriou Y, Hebestreit A, Reimers AK, et al. Results from Germany's 2018 Report Card on
1044 Physical Activity for Children and Youth. *J Phys Act Health*. 2018 (*this issue*).
- 1045 50. Takken T, de Jong N. Results from the Netherlands's 2018 Report Card on Physical Activity for
1046 Children and Youth. *J Phys Act Health*. 2018 (*this issue*).
- 1047 51. Smith M, Ikeda E, Hinckson E, et al. Results from New Zealand's 2018 Report Card on Physical
1048 Activity for Children and Youth. *J Phys Act Health*. 2018 (*this issue*).
- 1049 52. Gába A, Rubín L, Badura P, et al. Results from the Czech Republic's 2018 Report Card on
1050 Physical Activity for Children and Youth. *J Phys Act Health*. 2018 (*this issue*).

- 1051 53. Nyawornota VK, Luguterah A, Sofo S, Aryeetey R. Results from Ghana's 2018 Report Card on
1052 Physical Activity for Children and Youth. *J Phys Act Health*. 2018 (this issue).
- 1053 54. Silva DAS, Christofaro DGD, Ferrari GL de M, et al. Results from Brazil's 2018 Report Card on
1054 Physical Activity for Children and Youth. *J Phys Act Health*. 2018 (this issue).
- 1055 55. Saonuam P, Rasri N, Pongpradit K, Widyastari DA, Katewongsa P. Results from Thailand's 2018
1056 Report Card on Physical Activity for Children and Youth. *J Phys Act Health*. 2018 (this issue).
- 1057 56. Barnes JD, Cameron C, Carson V, et al. Results from Canada's 2018 Report Card on Physical
1058 Activity for Children and Youth. *J Phys Act Health*. 2018 (this issue).
- 1059 57. Mäestu E, Kull M, Mooses K, et al. Results from Estonian's 2018 Report Card on Physical
1060 Activity for Children and Youth. *J Phys Act Health*. 2018 (this issue).
- 1061 58. Kämppi K, Aira A, Halme N, et al. Results from Finland's 2018 Report Card on Physical Activity
1062 for Children and Youth. *J Phys Act Health*. 2018 (this issue).
- 1063 59. Mileva B. Results from Bulgaria's 2018 Report Card on Physical Activity for Children and Youth.
1064 *J Phys Act Health*. 2018 (this issue).
- 1065 60. Roman-Viñas B, Zazo F, Martínez-Martínez J, Aznar-Lain S, Serra-Majem L. Results from
1066 Spain's 2018 Report Card on Physical Activity for Children and Youth. *J Phys Act Health*. 2018
1067 (this issue).
- 1068 61. Edwards LC, Tyler R, Blain D, et al. Results from Wales' 2018 Report Card on Physical Activity
1069 for Children and Youth. *J Phys Act Health*. 2018 (this issue).
- 1070 62. Tladi DM, Monnaatsie M, Shaibu S, Sinombe G. Results from Botswana's 2018 Report Card on
1071 Physical Activity for Children and Youth. *J Phys Act Health*. 2018 (this issue).
- 1072 63. Akinroye KK, Adeniyi AF. Results from Nigeria's 2018 Report Card on Physical Activity for

- 1073 Children and Youth. *J Phys Act Health*. 2018 (*this issue*).
- 1074 64. Truelove S, Vanderloo LM, Tucker P. Defining and Measuring Active Play Among Young
1075 Children: A Systematic Review. *J Phys Act Health*. 2017;14(2):155-166. doi:10.1123/jpah.2016-
1076 0195
- 1077 65. Lee E-Y, Yi KJ, Walker GJ, Spence JC. Preferred Leisure Type, Value Orientations, and
1078 Psychological Well-Being Among East Asian Youth. *Leis Sci*. 2017;39(4):355-375.
1079 doi:10.1080/01490400.2016.1209139
- 1080 66. Mori N, Armada F, Willcox DC. Walking to school in Japan and childhood obesity prevention:
1081 new lessons from an old policy. *Am J Public Health*. 2012;102(11):2068-2073.
1082 doi:10.2105/AJPH.2012.300913
- 1083 67. Oh J-WJ-W, Lee E, Lim J, et al. Results from South Korea's 2018 Report Card on Physical
1084 Activity for Children and Youth. *J Phys Act Health*. 2018;(In press.).
- 1085 68. Huang WY, Wong SHS, Sit CHP, et al. Results from Hong Kong's 2018 Report Card on Physical
1086 Activity for Children and Youth. *J Phys Act Health*. 2018 (*this issue*).
- 1087 69. Sarmiento OL, Lemoine P, Gonzalez SA, et al. Relationships between active school transport and
1088 adiposity indicators in school-age children from low-, middle- and high-income countries. *Int J*
1089 *Obes Suppl*. 2015;5(S2):S107-S114. doi:10.1038/ijosup.2015.27
- 1090 70. Carson V, Hunter S, Kuzik N, et al. Systematic review of sedentary behaviour and health
1091 indicators in school-aged children and youth: an update. *Appl Physiol Nutr Metab*. 2016;41(6
1092 (Suppl. 3)):S240-S265. doi:10.1139/apnm-2015-0630
- 1093 71. Tremblay MS, LeBlanc AG, Janssen I, et al. Canadian Sedentary Behaviour Guidelines for
1094 Children and Youth. *Appl Physiol Nutr Metab*. 2011;36(1):59-64. doi:10.1139/H11-012

- 1095 72. Atkin AJ, Sharp SJ, Corder K, van Sluijs EMF, International Children's Accelerometry Database
1096 (ICAD) Collaborators. Prevalence and Correlates of Screen Time in Youth. *Am J Prev Med.*
1097 2014;47(6):803-807. doi:10.1016/j.amepre.2014.07.043
- 1098 73. Biddle SJH, Petrolini I, Pearson N. Interventions designed to reduce sedentary behaviours in
1099 young people: a review of reviews. *Br J Sports Med.* 2014;48(3):182-186. doi:10.1136/bjsports-
1100 2013-093078
- 1101 74. Pate RR. The Evolving Definition of Physical Fitness. *Quest.* 1988;40(3):174-179.
1102 doi:10.1080/00336297.1988.10483898
- 1103 75. Caspersen CJ, Powell KE, Christenson GM. Physical activity, exercise, and physical fitness:
1104 definitions and distinctions for health-related research. *Public Health Rep.* 1985;100(2):126-131.
1105 <http://www.ncbi.nlm.nih.gov/pubmed/3920711>. Accessed May 13, 2018.
- 1106 76. Tomkinson GR, Carver KD, Atkinson F, et al. European normative values for physical fitness in
1107 children and adolescents aged 9-17 years: results from 2 779 165 Eurofit performances
1108 representing 30 countries. *Br J Sports Med.* November 2017:bjsports-2017-098253.
1109 doi:10.1136/bjsports-2017-098253
- 1110 77. Lang JJ, Belanger K, Poitras V, Janssen I, Tomkinson GR, Tremblay MS. Systematic review of
1111 the relationship between 20m shuttle run performance and health indicators among children and
1112 youth. *J Sci Med Sport.* 2018;21(4):383-397. doi:10.1016/j.jsams.2017.08.002
- 1113 78. Lang JJ, Tomkinson GR, Janssen I, et al. Making A Case for Cardiorespiratory Fitness
1114 Surveillance Among Children and Youth. *Exerc Sport Sci Rev.* January 2018:1.
1115 doi:10.1249/JES.0000000000000138
- 1116 79. Lang JJ, Tremblay MS, Léger L, Olds T, Tomkinson GR. International variability in 20 m shuttle
1117 run performance in children and youth: who are the fittest from a 50-country comparison? A

- 1118 systematic literature review with pooling of aggregate results. *Br J Sports Med.* 2018;52(4):276.
1119 doi:10.1136/bjsports-2016-096224
- 1120 80. Sterdt E, Liersch S, Walter U. Correlates of physical activity of children and adolescents: A
1121 systematic review of reviews. *Health Educ J.* 2014;73(1):72-89. doi:10.1177/0017896912469578
- 1122 81. Hills AP, Dengel DR, Lubans DR. Supporting Public Health Priorities: Recommendations for
1123 Physical Education and Physical Activity Promotion in Schools. *Prog Cardiovasc Dis.*
1124 2015;57(4):368-374. doi:10.1016/J.PCAD.2014.09.010
- 1125 82. Katzmarzyk PT, Denstel KD, Beals K, et al. Results from the United States 2018 Report Card on
1126 Physical Activity for Children and Youth. *J Phys Act Health.* 2018 (*this issue*).
- 1127 83. Paulo MS, Nauman J, Abdulle A, et al. Results from the United Arab Emirates' 2018 Report Card
1128 on Physical Activity for Children and Youth. *J Phys Act Health.* 2018 (*this issue*).
- 1129 84. Draper CE, Tomaz SA, Bassett SH, Burnett C. Results from South Africa's 2018 Report Card on
1130 Physical Activity for Children and Youth. *J Phys Act Health.* 2018 (*this issue*).
- 1131 85. Song Y, Yang HI, Lee E-Y, et al. Results From South Korea's 2016 Report Card on Physical
1132 Activity for Children and Youth. *J Phys Act Health.* 2016;13(11 Suppl 2):S274-S278.
1133 doi:10.1123/jpah.2016-0402
- 1134 86. Oh J-W, Lee E, Lim J, Lee S-H, Jin Y, Oh B. Results from South Korea's 2018 Report Card on
1135 Physical Activity for Children and Youth. *J Exerc Sci Fit.* 2018;(In press.).
- 1136 87. Lee K-C, Cho S-M. The Korean national curriculum for physical education: a shift from edge to
1137 central subject. *Phys Educ Sport Pedagog.* 2014;19(5):522-532.
1138 doi:10.1080/17408989.2014.915299
- 1139 88. Trudeau F, Shephard RJ. Physical education, school physical activity, school sports and academic

- 1140 performance. *Int J Behav Nutr Phys Act*. 2008;5(1):10. doi:10.1186/1479-5868-5-10
- 1141 89. Sallis, J. F., Owen, N., Fisher E. Sallis, J. F., Owen, N., & Fisher, E. (2015). Ecological models of
1142 health behavior. In: *Health Behavior: Theory, Research, and Practice*. 4th ed. Jossey-Bass;
1143 2015:43-64.
- 1144 90. Saelens BE, Sallis JF, Black JB, Chen D. Neighborhood-based differences in physical activity: an
1145 environment scale evaluation. *Am J Public Health*. 2003;93(9):1552-1558.
1146 doi:10.2105/AJPH.93.9.1552
- 1147 91. Sallis JF, Johnson MF, Calfas KJ, Caparosa S, Nichols JF. Assessing Perceived Physical
1148 Environmental Variables that May Influence Physical Activity. *Res Q Exerc Sport*.
1149 1997;68(4):345-351. doi:10.1080/02701367.1997.10608015
- 1150 92. Katzmarzyk PT, Mason C. The Physical Activity Transition. *J Phys Act Health*. 2009;6(3):269-
1151 280. doi:10.1123/jpah.6.3.269
- 1152 93. Abarca-Gómez L, Abdeen ZA, Hamid ZA, et al. Worldwide trends in body-mass index,
1153 underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-
1154 based measurement studies in 128·9 million children, adolescents, and adults. *Lancet*.
1155 2017;390(10113):2627-2642. doi:10.1016/S0140-6736(17)32129-3
- 1156 94. The World Bank. GINI index (World Bank estimate) | Data.
1157 <https://data.worldbank.org/indicator/SI.POV.GINI?view=map>. Accessed April 7, 2018.
- 1158 95. The World Bank. Population density (people per sq. km of land area) | Data. 2016.
1159 <https://data.worldbank.org/indicator/EN.POP.DNST>. Accessed June 27, 2018.
- 1160 96. The Economist Intelligence Unit. Global Food Security Index: Overview. 2017.
1161 <https://foodsecurityindex.eiu.com/Index>. Accessed June 27, 2018.

- 1162 97. United Nations Department of Economic and Social Affairs. Social Indicators/ Population growth
1163 and distribution. <https://unstats.un.org/unsd/demographic/products/socind/>. Accessed June 27,
1164 2018.
- 1165 98. Wikimedia Foundation. All-time Olympic Games medal table. [https://en.wikipedia.org/wiki/All-](https://en.wikipedia.org/wiki/All-time_Olympic_Games_medal_table)
1166 [time_Olympic_Games_medal_table](https://en.wikipedia.org/wiki/All-time_Olympic_Games_medal_table). Accessed August 10, 2018.
- 1167 99. Latlong.net. Latitude and Longitude Finder on Map Get Coordinates. <https://www.latlong.net/>.
1168 Accessed August 10, 2018.
- 1169 100. Hastings DA. *Filling Gaps in the Human Development Index: Findings for Asia and the Pacific*.
1170 Bangkok; 2009. <https://www.unescap.org/sites/default/files/wp-09-02.pdf>. Accessed July 17,
1171 2018.
- 1172 101. The United States Central Intelligence Agency. The World Factbook, Guide to Country Profiles.
1173 <https://www.cia.gov/library/publications/resources/the-world-factbook/docs/profileguide.html>.
1174 Accessed July 17, 2018.
- 1175 102. State of Guernsey. *Guernsey Household Income*.; 2015.
1176 <https://www.gov.gg/CHttpHandler.ashx?id=110715&p=0>. Accessed July 17, 2018.
- 1177 103. State of Jersey. *Jersey Household Income Distribution 2014/15*.; 2015.
1178 [https://www.gov.je/SiteCollectionDocuments/Government and administration/R Income](https://www.gov.je/SiteCollectionDocuments/Government%20and%20administration/R%20Income%20Distribution%20Survey%20Report%202014-15%20151112%20SU.pdf)
1179 [Distribution Survey Report 2014-15 20151112 SU.pdf](https://www.gov.je/SiteCollectionDocuments/Government and administration/R Income Distribution Survey Report 2014-15 20151112 SU.pdf). Accessed July 17, 2018.
- 1180 104. National Statistics Republic of China (Taiwan). Report on The Survey of Family Income and
1181 Expenditure. <https://eng.stat.gov.tw/ct.asp?xItem=3417&CtNode=1596&mp=5>. Accessed June 28,
1182 2018.

1183

1184 **Table 1: Global Matrix 3.0 indicators and benchmarks used to guide the grade assignment process**

Indicator	Benchmark
Overall Physical Activity	<p>% of children and youth who meet the Global Recommendations on Physical Activity for Health, which recommend that children and youth accumulate at least 60 minutes of moderate- to vigorous-intensity physical activity per day on average.</p> <p>Or % of children and youth meeting the guidelines on at least 4 days a week (when an average cannot be estimated).</p>
Organized Sport and Physical Activity	% of children and youth who participate in organized sport and/or physical activity programs.
Active Play	<p>% of children and youth who engage in unstructured/unorganized active play at any intensity for more than 2 hours a day.</p> <p>% of children and youth who report being outdoors for more than 2 hours a day.</p>
Active Transportation	% of children and youth who use active transportation to get to and from places (e.g., school, park, mall, friend's house).
Sedentary Behaviors	% of children and youth who meet the Canadian Sedentary Behaviour Guidelines (5- to 17-year-olds: no more than 2 hours of recreational screen time per day). Note: the Guidelines currently provide a time limit recommendation for screen-related pursuits, but not for non-screen-related pursuits.
Physical Fitness	Average percentile achieved on certain physical fitness indicators based on the normative values published by Tomkinson et al. ⁷⁶
Family and Peers	<p>% of family members (e.g., parents, guardians) who facilitate physical activity and sport opportunities for their children (e.g., volunteering, coaching, driving, paying for membership fees and equipment).</p> <p>% of parents who meet the Global Recommendations on Physical Activity for Health, which recommend that adults accumulate at least 150 minutes of moderate-intensity aerobic physical activity throughout the week or do at least 75 minutes of vigorous-intensity aerobic physical activity throughout the week or an equivalent combination of moderate- and vigorous-intensity physical activity.</p> <p>% of family members (e.g., parents, guardians) who are physically active with their kids.</p> <p>% of children and youth with friends and peers who encourage and support them to be physically active.</p> <p>% of children and youth who encourage and support their friends and peers to be physically active.</p>

RUNNING HEAD: Global Matrix 3.0 of Report Card Physical Activity Grades

School	<p>% of schools with active school policies (e.g., daily PE, daily physical activity, recess, “everyone plays” approach, bike racks at school, traffic calming on school property, outdoor time).</p> <p>% of schools where the majority ($\geq 80\%$) of students are taught by a PE specialist.</p> <p>% of schools where the majority ($\geq 80\%$) of students are offered the mandated amount of PE (for the given state/territory/region/country).</p> <p>% of schools that offer physical activity opportunities (excluding PE) to the majority ($> 80\%$) of their students.</p> <p>% of parents who report their children and youth have access to physical activity opportunities at school in addition to PE classes.</p> <p>% of schools with students who have regular access to facilities and equipment that support physical activity (e.g., gymnasium, outdoor playgrounds, sporting fields, multi-purpose space for physical activity, equipment in good condition).</p>
Community and Environment	<p>% of children or parents who perceive their community/municipality is doing a good job at promoting physical activity (e.g., variety, location, cost, quality).</p> <p>% of communities/municipalities that report they have policies promoting physical activity.</p> <p>% of communities/municipalities that report they have infrastructure (e.g., sidewalks, trails, paths, bike lanes) specifically geared toward promoting physical activity.</p> <p>% of children or parents who report having facilities, programs, parks and playgrounds available to them in their community.</p> <p>% of children or parents who report living in a safe neighbourhood where they can be physically active.</p> <p>% of children or parents who report having well-maintained facilities, parks and playgrounds in their community that are safe to use.</p>
Government	<p>Evidence of leadership and commitment in providing physical activity opportunities for all children and youth.</p> <p>Allocated funds and resources for the implementation of physical activity promotion strategies and initiatives for all children and youth. Demonstrated progress through the key stages of public policy making (i.e., policy agenda, policy formation, policy implementation, policy evaluation and decisions about the future).</p>

1185

1186

1187 **Table 2: Global Matrix 3.0 grading rubric**

Grade	Interpretation	Corresponding number for analysis
A+	94% - 100%	15
A	We are succeeding with a large majority of children and youth (87% - 93%)	14
A-	80% - 86%	13
B+	74% - 79%	12
B	We are succeeding with well over half of children and youth (67% - 73%)	11
B-	60% - 66%	10
C+	54% - 59%	9
C	We are succeeding with about half of children and youth (47% - 53%)	8
C-	40% - 46%	7
D+	34% - 39%	6
D	We are succeeding with less than half but some children and youth (27% - 33%)	5
D-	20% - 26%	4
F	We are succeeding with very few children and youth (<20%)	2
INC	Incomplete - insufficient or inadequate information to assign a grade	No Grade

1188

1189

1190 **Table 3: Sociodemographic information of the 49 countries in the Global Matrix 3.0**

Country (in alphabetical order)	HDI ^a	GNI per capita (USD) ^a	Public Health Expenditure (% of GDP) ^a	GII ^a	Life expectancy at birth (years) ^a	Mean years of schooling (years) ^a	Gini index ^b	Global Food Security Index ^c	Urban Population Percentage ^d	Improved drinking water coverage (%) ^d	Population Density (people / km ² of land area) ^e	Summer Olympic Medal Count ^f	Distance to the Equator (km) ^g
Australia	0.939	42822	6.3	0.12	82.5	13.2	34.7	83.3	89.4	100	3	497	2796
Bangladesh	0.579	3341	3.7	0.52	72	5.2	32.4	39.7	28.9	81	1252	0	2620
Belgium (Flanders)	0.896	41243	8.3	0.073	81	11.4	27.7	79.8	97.5	100	374	148	5597
Botswana	0.698	14663	5.1	0.435	71.7	11.9	60.5	59.4	62.3	96	4	1	2470
Brazil	0.754	14145	3.8	0.414	74.7	7.8	51.3	67.7	84.9	98	25	128	1574
Bulgaria	0.794	16261	4.6	0.223	74.3	10.8	37.4	62.9	73.7	100	66	218	4733
Canada	0.92	42582	7.4	0.098	82.2	13.1	34	82.2	80.8	100	4	302	6223
Chile	0.847	21665	3.9	0.322	82	9.9	47.7	74.7	89.4	96	24	13	3949
China	0.738	13345	3.1	0.164	76	7.6	42.2	63.7	51.9	91	147	546	3970
Colombia	0.727	12762	5.4	0.393	74.2	7.6	50.8	60.1	75.6	92	44	28	505
Czech Republic	0.878	28144	6.3	0.129	78.8	12.3	25.9	75.8	73.4	100	137	56	5521
Denmark	0.925	44519	9.2	0.041	80.4	12.7	28.2	80.3	87.1	100	136	194	6238
Ecuador	0.739	10536	4.5	0.391	76.1	8.3	45	55.2	68	94	66	2	202
England	0.909	37931	7.6	0.131	80.8	13.3	33.2	84.2	79.7	100	271	NA	5803
Estonia	0.865	26362	5	0.131	77	12.5	32.7	NA	69.5	98	31	34	6498
Ethiopia	0.448	1523	4.7	0.499	64.6	2.6	39.1	33.3	17.2	44	102	53	1011
Finland	0.895	38868	7.3	0.056	81	11.2	27.1	81	83.8	100	18	303	6868
France	0.897	38085	9	0.102	82.4	11.6	32.7	82.3	86.4	100	122	716	5121
Germany	0.926	45000	8.7	0.066	81.1	13.2	31.7	82.5	74.1	100	236	1346	5671
Ghana	0.579	3839	4.8	0.547	61.5	6.9	42.4	47.9	52.6	86	124	4	879
Guernsey Channel Islands*	0.975	NA	NA	NA	82.6	NA	40	NA	31.7	NA	850	NA	5481
Hong Kong	0.917	54265	NA	NA	84.2	11.6	NA	NA	100	NA	6987	3	2478
India	0.624	5663	3.9	0.53	68.3	6.3	35.1	48.9	31.6	92	445	28	2278
Japan	0.903	37268	8.6	0.116	83.7	12.5	32.1	79.5	91.9	100	348	439	4008
Jersey**	0.985	NA	NA	NA	81.9	NA	41	NA	31.7	NA	845	NA	5453
Lebanon	0.763	13312	3	0.381	79.5	8.6	31.8	NA	87.4	100	587	4	3748
Lithuania	0.848	26006	4.4	0.121	73.5	12.7	37.4	NA	67.2	92	46	25	6116
Mexico	0.762	16383	3.3	0.345	77	8.6	43.4	65.8	78.4	96	66	69	2615

RUNNING HEAD: Global Matrix 3.0 of Report Card Physical Activity Grades

Nepal	0.558	2337	5.4	0.497	70	4.1	32.8	44.5	17.3	89	202	0	3142
Netherlands	0.924	46326	9.5	0.044	81.7	11.9	29.3	82.8	83.6	100	506	285	5778
New Zealand	0.915	32870	9.1	0.158	82	12.5	NA	81	86.3	100	18	117	4530
Nigeria	0.527	5443	5.3	NA	53.1	6	43	38.4	50.3	58	204	25	1004
Poland	0.855	24117	4.5	0.137	77.6	11.9	31.8	74.1	60.8	NA	124	284	5754
Portugal	0.843	26104	6.2	0.091	81.2	8.9	35.5	79	61.6	99	113	24	4363
Qatar	0.856	129916	1.9	0.542	78.3	9.8	NA	73.3	98.9	100	221	5	2805
Scotland	0.909	37931	7.6	0.131	80.8	13.3	33.2	84.2	79.7	100	271	NA	6263
Slovenia	0.89	28664	6.6	0.053	80.6	12.1	25.4	NA	49.8	99	103	23	5113
South Africa	0.666	12087	8.5	0.394	57.7	10.3	63	64	62.4	91	46	86	3382
South Korea	0.901	34541	4	0.067	82.1	12.2	31.6	NA	83.5	98	526	267	3975
Spain	0.884	32779	6.4	0.081	82.8	9.8	36.2	78.1	77.6	100	93	150	4481
Sweden	0.913	46251	10	0.048	82.3	12.3	29.2	81.7	85.4	100	24	494	6668
Taiwan***	0.885	45582	NA	NA	80.2	NA	33.6	NA	NA	NA	NA	24	2622
Thailand	0.74	14519	5.6	0.366	74.6	7.9	37.8	58.3	34.4	96	135	33	1755
United Arab Emirates	0.84	66203	2.6	0.232	77.1	9.5	NA	70.9	84.7	100	111	2	2592
United States	0.92	53245	8.3	0.203	79.2	13.2	41.5	84.6	82.6	99	35	2522	4107
Uruguay	0.795	19148	6.1	0.284	77.4	8.6	39.7	69.7	92.6	100	20	10	3600
Venezuela	0.767	15129	1.5	0.461	74.4	9.4	46.9	50.2	93.7	93	36	15	710
Wales	0.909	37931	7.6	0.131	80.8	13.3	33.2	84.2	79.7	100	271	NA	5778
Zimbabwe	0.516	1588	NA	0.54	59.2	7.7	43.2	NA	39.1	80	42	8	2103

1191 Note: HDI = Human Development Index, GNI = Gross National Income, GDP = Gross Domestic
 1192 Product, GII = Gender Inequality Index, NA= not available. Sources of information: a., United Nations
 1193 Development Programme;²¹ b. and e., the World Bank;^{94,95} c., the Economist Intelligence Unit;⁹⁶ d.,
 1194 United Nations, Department of Economic and Social Affairs,⁹⁷ f., the Wikimedia Foundation,⁹⁸ and g., the
 1195 distance to the Equator was calculated from the latitude and longitude from *Latlong.net*.⁹⁹ * For
 1196 Guernsey, the HDI sourced from the United Nations Economic and Social Commission for Asia and the
 1197 Pacific,¹⁰⁰ the life expectancy at birth, population size, and the population density sourced from the
 1198 United States Central Intelligence Agency,¹⁰¹ and the Gini index sourced from the State of Guernsey.¹⁰²

1199 **For Jersey, the HDI sourced from¹⁰⁰, the life expectancy at birth, population size, and the population
1200 density sourced from the United States Central Intelligence Agency,¹⁰¹ and the Gini index sourced from
1201 the State of Jersey.¹⁰³ ***For Taiwan, the HDI, the GNI per Capita, the life expectancy at birth and the
1202 Gini index come from the National Statistics, Republic of China (Taiwan).¹⁰⁴ For England, Scotland, and
1203 Wales, the official data for UK were reported.

1204

1205

1206 **Table 4: Grades assigned to the 10 core physical activity indicators for the 49 countries of the**
1207 **Global Matrix 3.0**

	PA	SP	AP	AT	SB	PF	FAM	SCH	COM	GOV	AVG
Australia	D-	B-	INC	D+	D-	D+	C+	B+	A-	D	C-
Bangladesh	C-	INC	INC	C-	A-	INC	INC	INC	INC	C-	C
Belgium (Flanders)	F	B	INC	C+	C	INC	C+	B-	B	B	C
Botswana	INC	INC	D-	C	B-	INC	INC	C-	INC	C	C-
Brazil	D	C+	D+	C	D-	D	C-	C	C-	D+	D+
Bulgaria	D+	C+	C+	B-	D	INC	D	C	C	INC	C-
Canada	D+	B+	D	D-	D+	D	C+	B-	B+	C+	C-
Chile	D-	D-	INC	F	C-	D	F	D	B	B-	D
China	F	D-	D+	C+	F	D	D+	D+	F	F	D-
Colombia	D+	C	INC	B	D+	D-	INC	D	B-	B	C-
Czech Republic	D	B-	D-	C+	D-	C+	C+	B+	B	C+	C
Denmark	D-	A-	INC	B+	D+	INC	INC	A-	B+	A-	B-
Ecuador	D	INC	INC	C-	C	INC	F	INC	D+	INC	D
England	C-	D+	INC	C-	D+	C-	INC	B+	C	INC	C-
Estonia	D-	C	F	D	F	INC	D	C+	B	B	D+
Ethiopia	D	C	B	C	F	INC	F	D	F	D	D
Finland	D	C+	C	B+	D-	C	B-	A	B+	A-	C+
France	D	C-	INC	C-	D-	B-	INC	B	INC	C	C-
Germany	D-	B	D-	C-	D-	INC	B-	B+	B+	INC	C
Ghana	C	C+	B-	C+	INC	INC	F	D	D+	D	D+
Guernsey	D	C+	INC	D	C	INC	INC	INC	INC	D	D+
Hong Kong	C-	C	INC	B+	C-	D	D-	C	B	C	C-
India	D	INC	C-	B-	C-	F	D	INC	D	D	D
Japan	INC	B-	INC	A-	C-	A	C-	B+	B-	B	B-
Jersey	D-	INC	INC	D+	C	D	C	B-	C	D	D+
Lebanon	D	F	INC	D	C-	INC	INC	D	INC	C+	D

RUNNING HEAD: Global Matrix 3.0 of Report Card Physical Activity Grades

Lithuania	C-	C	INC	C-	C-	C+	D	C+	C	C	C-
Mexico	D+	C	INC	C+	D-	INC	INC	D+	D+	C	D+
Nepal	D+	INC	INC	A-	B+	INC	A	INC	C-	INC	B-
Netherlands	C	B	B	B-	C-	INC	INC	C	INC	INC	C+
New Zealand	D-	B	C+	C-	D	INC	C-	B-	B	B+	C
Nigeria	C	C-	C	B	B-	INC	INC	C-	INC	B	C
Poland	D-	D	INC	C	D	C-	C-	B	C	C+	C-
Portugal	D	B-	INC	C-	C-	C	C	A	B	B	C+
Qatar	D	D+	INC	N/A	D+	INC	INC	C	INC	B+	C-
Scotland	F	B	INC	C	F	INC	INC	INC	B-	C	D+
Slovenia	A-	C+	D	C	B+	A-	B+	A	B	A	B
South Africa	C	D	INC	C	INC	INC	C-	D-	C-	C	D+
South Korea	F	C	INC	B+	D	D+	INC	D+	INC	D	D+
Spain	D	B	C-	B-	B+	INC	INC	C+	INC	INC	C+
Sweden	D+	B+	INC	C	C+	INC	INC	C+	A	B	C+
Taiwan	F	D-	INC	C-	C-	B-	INC	B+	B+	B+	C
Thailand	D-	C-	F	C	D-	INC	B	B	B-	B+	C-
United Arab Emirates	F	INC	INC	INC	C-	INC	INC	D-	INC	B+	D+
United States	D-	C	INC	D-	D	C-	INC	D-	C	INC	D
Uruguay	D	F	INC	C	C-	C-	INC	C-	INC	D	D
Venezuela	D	D	INC	B-	INC	INC	INC	INC	D-	F	D
Wales	D+	C+	C-	D+	F	INC	D	INC	INC	C+	D+
Zimbabwe	C+	B	D+	A-	B	INC	INC	C	D	C-	C

1208

1209 Note: PA = Physical Activity, SP = Organized Sport and Physical Activity, AP = Active Play, AT =

1210 Active Transportation, SB = Sedentary Behaviors, PF = Physical Fitness, FAM = Family and Peers, SCH

1211 = School, COM = Community and Environment, GOV = Government, AVG = Average, INC =

1212 incomplete grade, and N/A = not applicable.

1213

Table 5: Descriptive statistics of the grades by indicator and groups of indicators for the 49 countries of the Global Matrix 3.0

	Grade count	Incomplete grades	Mean number grade	SD	Mean letter grade
Overall Physical Activity	47	2	5.2	2.1	D
Organized Sport and Physical Activity	42	7	8.2	2.7	C
Active Play	20	29	6.5	2.7	D+
Active Transportation	47	2	8.3	2.5	C
Sedentary Behaviors	46	3	6.4	2.8	D+
Physical Fitness	22	27	7.1	2.9	C-
Family and Peers	27	22	7.0	3.1	D+
School	41	8	8.8	3.0	C
Community and Environment	36	13	8.9	3.0	C
Government	41	8	8.6	3.1	C
Behavioral indicators	49	0	7.0	1.6	C-
Sources of influence indicators	49	0	8.3	2.5	C
All indicators	49	0	7.5	1.6	C-


Note: Behavioral indicators = Average of Overall Physical Activity, Organized Sport and Physical Activity, Active Play, Active Transportation, Sedentary Behavior indicator grades; Source of influence indicators = Average of Family and Peers, School, Community and Environment, and Government indicator grades. Physical Fitness was not included in the behavioral indicators cluster. There are no missing grades for the bottom three rows because these scores are adjusted for missing grades.

Table 6: Average grades by indicator and group of indicators for the three HDI categories (low and medium, high, and very high)

	Low and medium HDI	High HDI	Very high HDI
Overall Physical Activity	C-	D-	D-
Organized Sport and Physical Activity	C	D+	C+
Active Play	C-	D	D+
Active Transportation	C+	C	C-
Sedentary Behaviors	C+	D	D+
Physical Fitness	F	D	C-
Family and Peers	D+	D+	C-
School	D+	C-	C+
Community and Environment	D	D+	B-
Government	C-	D+	C+
Behavioral indicators	C	D+	D+
Sources of influence indicators	D+	D+	C+
All indicators	C-	D+	C-

Note: HDI = Human development index; Behavioral indicators = Average of Overall Physical Activity, Organized Sport and Physical Activity, Active Play, Active Transportation, Sedentary Behavior indicator grades; Source of influence indicators = Average of Family and Peers, School, Community and Environment, and Government indicator grades. Physical Fitness was not included in the behavioral indicators cluster. There are no missing grades for the bottom three rows because these scores are adjusted for missing grades.

1232 **Figure 1: Plot of the overall score estimated for the 10 core indicators for the 49 countries of the**
1233 **Global Matrix 3.0**




1234

1235 Note: The overall score was adjusted for missing and incomplete grades. The number in parenthesis

1236 shows the number of grades available for the calculation of the score.


Figure 2: Plot of the behavioral score estimated for the 49 countries of the Global Matrix 3.0



Note: The behavioral score was adjusted for missing and incomplete grades. The number in parenthesis shows the number of grades available for the calculation of the score.

Figure 3: Plot of the source of influence indicators score for the 49 countries of the Global Matrix

3.0



Note: The source of influence score was adjusted for missing and incomplete grades. The number in parenthesis shows the number of grades available for the calculation of the score. These estimates of sources of influence score are interpreted with a high degree of caution as they are likely imprecise estimates of sources of influence due to the level of missing data used to determine this score.